

▲ FENIEX INDUSTRIES

Feniex Industries is a USA manufacturer of visual and audio emergency vehicle warning products. Located in the heart of Texas, Feniex is the fastest growing emergency vehicle manufacturer.

Feniex changes lives by manufacturing innovative, American-made products for the world's toughest jobs.








Product Guide

▲ QUANTUM® PRODUCT LIST

The Quantum® Series offers a full line of emergency warning lights, each equipped with 4-color capabilites in single, dual, tri and quad lighting. Each product is purchased at a low-cost single color with the ability to unlock additional colors in dual, tri and quad configurations. All products are configured with Unlock Quantum® software to add modes, color and functionality.

 $Reference\ the\ products\ below\ with\ the\ following\ page\ for\ dimensions,\ voltage,\ current\ draw,\ colors\ and\ wire\ harnesses.$







Product Guide

PRODUCT	DIMENSIONS	VOLTAGE	CURRENT DRAW	COLORS	WIRE
A. 14 Mini Lightbar	2.3" x 8.1" x 13.94"	10-18 V DC	5 Amps		Cig Plug 😢
B. 18 Mini Lightbar	1.6" x 8.1" x 17.9"	10-18 V DC	7.5 Amp		Cig Plug 🕗
C. 27 Mini Lightbar	1.6" x 8.1" x 27.1"	10-18 V DC	10 Amps		Cig Plug 😃
D. Arrow Board	1.3" x 2.25" x 42.5"	10-18 V DC	12 Amps		14 Pin 🚺
E. 400 Lightstick	1.3" x 2.25" x 18.8"	10-18 V DC	4 Amps		14 Pin 🕠
F. 600 Light Stick	1.3" x 2.25" x 28.1"	10-18 V DC	5 Amps		14 Pin 🚺
G. 800 Light Stick	1.3" x 2.25" x 37.5"	10-18 V DC	6 Amps		14 Pin 🕠
H. Rocker Panels	1.3" x 2.25" x 63.75"	10-18 V DC	6 Amps		14 Pin 🕠
I. Interior Lightbars	N/A	10-18 V DC	6 Amps		14 Pin 🚺
J. 44" Lightbar	1.6" x 11.8" x 44.5"	10-18 V DC	14 Amps		28 Pin 🚺
K. 49" Lightbar	1.6" x 11.8" x 49.2"	10-18 V DC	16 Amps		28 Pin 🚺
L. 60" Lightbar	1.6" x 11.8" x 59.8"	10-18 V DC	18 Amps		28 Pin 🚺
M. Spoiler	Vehicle Specific	10-18 V DC	5 Amps		14 Pin 🚺
N. Pillar	Vehicle Specific	10-18 V DC	5 Amps		14 Pin 🚺

Product Locations

Use the diagram below to see which products have specific mounting locations.


Legend


Use the icons to determine the wiring harness for the products.



(S) PRODUCT SYNCABILITY

1 2 WIRE QUICK-LINK HARNESS







QUANTUM® 14" MINI LIGHTBAR

A. Quantum® 14" Lightbar





PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. QT-6120	1.6" x 8.1" x 13.94"	10-18 V DC	5 Amps	R B A W

MOUNTING:





CERTIFICATIONS:

















DESCRIPTION:


The Feniex Quantum® it's the world's first patented 4 color brightest emergency warning product series. Available in 4 configuration types; Single, Dual, Tri and Quad across a family of 6 Light Bars, 5 light sticks, and 20+ Vehicle specific Inner Bars. At Feniex we will manufacture the Quantum® Series, with all 4 versions of Single, Dual, Tri and Quad, in 1 part number with the ability to be unlocked by a Feniex authorized dealer to any version depending on the customer's needs at an additional cost. No more securing customer configuration. No more paying for technology that's not needed. No more long production wait times. Pay for what you need and customize what you want, all under 1 part number.

- Available in Single, Dual, Tri and Quad Color Versions
- Each Module has Amber, Blue, White & Red Colors
- Computer Programmable with Unlock Quantum® Software
- Integrated Features & Functions:
 - Takedown, Alley & Flood Mode
 Dim & Cut-off Modes
 - Front & Rear Flashing Modes
- Cruise & Park Modes
- DOT Stop-Turn-Tail Modes
- California Red Mode
- Arrow Directional Modes





- 4 User Programmable Modes
- Over 20 Warning Flash Patterns
- 60° Wide Optical Spread
- Integrated Cig Plug with 15' Harness
- Easy Field Serviceability with Plug-&-Play Connectivity
- Cable Length: 15'





▲ QUANTUM® 18" MINI LIGHTBAR

A. Quantum® 18" Lightbar





PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. QT-1823	1.6" x 8.1" x 17.9"	10-18 V DC	6 Amps	R B A W

MOUNTING:





CERTIFICATIONS:


















DESCRIPTION:


The Feniex Quantum® it's the world's first patented 4 color brightest emergency warning product series. Available in 4 configuration types; Single, Dual, Tri and Quad across a family of 6 Light Bars, 5 light sticks, and 20+ Vehicle specific Inner Bars. At Feniex we will manufacture the Quantum® Series, with all 4 versions of Single, Dual, Tri and Quad, in 1 part number with the ability to be unlocked by a Feniex authorized dealer to any version depending on the customer's needs at an additional cost. No more securing customer configuration. No more paying for technology that's not needed. No more long production wait times. Pay for what you need and customize what you want, all under 1 part number.

- Available in Single, Dual, Tri and Quad Color Versions
- Each Module has Amber, Blue, White & Red Colors
- Computer Programmable with Unlock Quantum® Software
- Integrated Features & Functions:
 - Takedown, Alley & Flood Mode
 Dim & Cut-off Modes
 - Front & Rear Flashing Modes
 - DOT Stop-Turn-Tail Modes
 - Arrow Directional Modes
- Cruise & Park Modes
- California Red Mode





- 4 User Programmable Modes
- Over 20 Warning Flash Patterns
- 60° Wide Optical Spread
- Integrated Cig Plug with 15' Harness
- Easy Field Serviceability with Plug-&-Play Connectivity
- Cable Length: 15'





▲ QUANTUM® 27" MINI LIGHTBAR

A. Quantum® 27" Lightbar





PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. QT-2723	1.6" x 8.1" x 27.1"	10-18 V DC	10 Amps	R B A W

MOUNTING:





CERTIFICATIONS:

















DESCRIPTION:


The Feniex Quantum® it's the world's first patented 4 color brightest emergency warning product series. Available in 4 configuration types; Single, Dual, Tri and Quad across a family of 6 Light Bars, 5 light sticks, and 20+ Vehicle specific Inner Bars. At Feniex we will manufacture the Quantum® Series, with all 4 versions of Single, Dual, Tri and Quad, in 1 part number with the ability to be unlocked by a Feniex authorized dealer to any version depending on the customer's needs at an additional cost. No more securing customer configuration. No more paying for technology that's not needed. No more long production wait times. Pay for what you need and customize what you want, all under 1 part number.

- Available in Single, Dual, Tri and Quad Color Versions
- Each Module has Amber, Blue, White & Red Colors
- Computer Programmable with Unlock Quantum® Software
- Integrated Features & Functions:
 - Takedown, Alley & Flood Mode
 Dim & Cut-off Modes
 - DOT Stop-Turn-Tail Modes
 - Arrow Directional Modes
- Front & Rear Flashing Modes
 Cruise & Park Modes
 - California Red Mode





- 4 User Programmable Modes
- Over 20 Warning Flash Patterns
- 60° Wide Optical Spread
- Integrated Cig Plug with 15' Harness
- Easy Field Serviceability with Plug-&-Play Connectivity
- Cable Length: 15'





QUANTUM® ARROW

LIGHTSTICK

A. Quantum® Arrow Board





PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. QT-1020	1.3" x 15" x 42.46"	10-18 V DC	12 Amps	R B A W

MOUNTING:



CERTIFICATIONS:

















DESCRIPTION:

The Feniex Quantum® it's the world's first patented 4 color brightest emergency warning product series. Available in 4 configuration types; Single, Dual, Tri and Quad across a family of 6 Light Bars, 5 light sticks, and 20+ Vehicle specific Inner Bars. At Feniex we will manufacture the Quantum® Series, with all 4 versions of Single, Dual, Tri and Quad, in 1 part number with the ability to be unlocked by a Feniex authorized dealer to any version depending on the customer's needs at an additional cost. No more securing customer configuration. No more paying for technology that's not needed. No more long production wait times. Pay for what you need and customize what you want, all under 1 part number.

- Available in Single, Dual, Tri and Quad Color Versions
- Each Module has Amber, Blue, White & Red Colors
- Computer Programmable with Unlock Quantum® Software
- Integrated Features & Functions:
 - Takedown, Alley & Flood Mode
 Dim & Cut-off Modes

 - Front & Rear Flashing Modes
 Cruise & Park Modes DOT Stop-Turn-Tail Modes
 - Arrow Directional Modes

- California Red Mode
- 10 User Programmable Modes
- Over 20 Warning Flash Patterns
- 60° Wide Optical Spread
- Universal Mount for all Vehicle Makes & Models
- Easy Field Serviceability with Plug-&-Play Connectivity
- Cable Length: 10 Feet
- 384 LED Count
- Compatible with Quad Converter & 28 modes





Military-grade Aluminum





MOUNTING:







CERTIFICATIONS:















■ 10 User Programmable Modes

Over 20 Warning Flash Patterns

■ 60° Wide Optical Spread

■ Cable Length: 10 Feet



DESCRIPTION:

The Feniex Quantum® it's the world's first patented 4 color brightest emergency warning product series. Available in 4 configuration types; Single, Dual, Tri and Quad across a family of 6 Light Bars, 5 light sticks, and 20+ Vehicle specific Inner Bars. At Feniex we will manufacture the Quantum® Series, with all 4 versions of Single, Dual, Tri and Quad, in 1 part number with the ability to be unlocked by a Feniex authorized dealer to any version depending on the customer's needs at an additional cost. No more securing customer configuration. No more paying for technology that's not needed. No more long production wait times. Pay for what you need and customize what you want, all under 1 part number.

- Available in Single, Dual, Tri and Quad Color Versions
- Each Module has Amber, Blue, White & Red Colors
- Computer Programmable with Unlock Quantum® Software
- Integrated Features & Functions:
 - Takedown, Alley & Flood Mode
 Dim & Cut-off Modes
 - Front & Rear Flashing Modes
 Cruise & Park Modes
 - DOT Stop-Turn-Tail Modes
 - Arrow Directional Modes

- California Red Mode

- 96 LED Count
 - Compatible with Quad Converter & 28 modes

■ Universal Mount for all Vehicle Makes & Models ■ Easy Field Serviceability with Plug-&-Play Connectivity







PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. QT-0620	1.3" x 28.1" x 2.25"	10-18 V DC	5 Amps	R B A W

MOUNTING:



CERTIFICATIONS:

















DESCRIPTION:

The Feniex Quantum® it's the world's first patented 4 color brightest emergency warning product series. Available in 4 configuration types; Single, Dual, Tri and Quad across a family of 6 Light Bars, 5 light sticks, and 20+ Vehicle specific Inner Bars. At Feniex we will manufacture the Quantum® Series, with all 4 versions of Single, Dual, Tri and Quad, in 1 part number with the ability to be unlocked by a Feniex authorized dealer to any version depending on the customer's needs at an additional cost. No more securing customer configuration. No more paying for technology that's not needed. No more long production wait times. Pay for what you need and customize what you want, all under 1 part number.

- Available in Single, Dual, Tri and Quad Color Versions
- Each Module has Amber, Blue, White & Red Colors
- Computer Programmable with Unlock Quantum® Software
- Integrated Features & Functions:
 - Takedown, Alley & Flood Mode
 Dim & Cut-off Modes

 - Front & Rear Flashing Modes
 Cruise & Park Modes
 - DOT Stop-Turn-Tail Modes Arrow Directional Modes

- California Red Mode
- 10 User Programmable Modes
- Over 20 Warning Flash Patterns
- 60° Wide Optical Spread
- Universal Mount for all Vehicle Makes & Models
- Easy Field Serviceability with Plug-&-Play Connectivity
- Cable Length: 10 Feet
- 144 LED Count
- Compatible with Quad Converter & 28 modes







PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. QT-0820	1.3" x 37.46" x 2.25"	10-18 V DC	8 Amps	R B A W

MOUNTING:



CERTIFICATIONS:

















DESCRIPTION:

The Feniex Quantum® it's the world's first patented 4 color brightest emergency warning product series. Available in 4 configuration types; Single, Dual, Tri and Quad across a family of 6 Light Bars, 5 light sticks, and 20+ Vehicle specific Inner Bars. At Feniex we will manufacture the Quantum® Series, with all 4 versions of Single, Dual, Tri and Quad, in 1 part number with the ability to be unlocked by a Feniex authorized dealer to any version depending on the customer's needs at an additional cost. No more securing customer configuration. No more paying for technology that's not needed. No more long production wait times. Pay for what you need and customize what you want, all under 1 part number.

- Available in Single, Dual, Tri and Quad Color Versions
- Each Module has Amber, Blue, White & Red Colors
- Computer Programmable with Unlock Quantum® Software
- Integrated Features & Functions:
 - Takedown, Alley & Flood Mode
 Dim & Cut-off Modes
 - Front & Rear Flashing Modes
 Cruise & Park Modes
 - DOT Stop-Turn-Tail Modes
 - Arrow Directional Modes

- California Red Mode
- 10 User Programmable Modes
- Over 20 Warning Flash Patterns
- 60° Wide Optical Spread
- Universal Mount for all Vehicle Makes & Models
- Easy Field Serviceability with Plug-&-Play Connectivity
- Cable Length: 10 Feet
- 192 LED Count
- Compatible with Quad Converter & 28 modes







PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. QT-8820	1.3" x 63.75" x 2.25"	10-18 V DC	8 Amps	R B A W

MOUNTING:



CERTIFICATIONS:















■ 10 User Programmable Modes

Over 20 Warning Flash Patterns

■ 60° Wide Optical Spread



DESCRIPTION:

The Feniex Quantum® it's the world's first patented 4 color brightest emergency warning product series. Available in 4 configuration types; Single, Dual, Tri and Quad across a family of 6 Light Bars, 5 light sticks, and 20+ Vehicle specific Inner Bars. At Feniex we will manufacture the Quantum® Series, with all 4 versions of Single, Dual, Tri and Quad, in 1 part number with the ability to be unlocked by a Feniex authorized dealer to any version depending on the customer's needs at an additional cost. No more securing customer configuration. No more paying for technology that's not needed. No more long production wait times. Pay for what you need and customize what you want, all under 1 part number.

- Available in Single, Dual, Tri and Quad Color Versions
- Each Module has Amber, Blue, White & Red Colors
- Computer Programmable with Unlock Quantum® Software
- Integrated Features & Functions:
 - Takedown, Alley & Flood Mode
 Dim & Cut-off Modes
 - Front & Rear Flashing Modes
 Cruise & Park Modes
 - DOT Stop-Turn-Tail Modes
 - Arrow Directional Modes

- California Red Mode

- Cable Length: 10 Feet
 - 192 LED Count
 - Not Sold as a Pair
 - Compatible with Quad Converter & 28 modes

■ Universal Mount for all Vehicle Makes & Models

■ Easy Field Serviceability with Plug-&-Play Connectivity





Aluminum



Interior Lightbar



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. QT-***	1" x 2.25" x 37.46"	10-18 V DC	6 Amps	R B A W

CERTIFICATIONS:

















DESCRIPTION:


The Feniex Quantum® it's the world's first patented 4 color brightest emergency warning product series. Available in 4 configuration types; Single, Dual, Tri and Quad across a family of 6 Light Bars, 5 light sticks, and 20+ Vehicle specific Inner Bars. At Feniex we will manufacture the Quantum® Series, with all 4 versions of Single, Dual, Tri and Quad, in 1 part number with the ability to be unlocked by a Feniex authorized dealer to any version depending on the customer's needs at an additional cost. No more securing customer configuration. No more paying for technology that's not needed. No more long production wait times. Pay for what you need and customize what you want, all under 1 part number.

- Available in Single, Dual, Tri and Quad Color Versions
- Each Module has Amber, Blue, White & Red Colors
- Computer Programmable with Unlock Quantum® Software
- Integrated Features & Functions:
 - Takedown, Alley & Flood Mode
 Dim & Cut-off Modes
 - Front & Rear Flashing Modes
 Cruise & Park Modes
 - DOT Stop-Turn-Tail Modes
 - Arrow Directional Modes

- California Red Mode
- 10 User Programmable Modes
- Over 20 Warning Flash Patterns
- 60° Wide Optical Spread
- Universal Mount for all Vehicle Makes & Models
- Easy Field Serviceability with Plug-&-Play Connectivity
- Cable Length: 10 Feet
- 192 LED Count
- Compatible with Quad Converter & 28 modes









INTERIOR LIGHTBAR

A. Quantum® Rear Lightbar





PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. QT-2811	1" x 2.25" x 37.46"	10-18 V DC	6 Amps	R B A W

CERTIFICATIONS:

















DESCRIPTION:


The Feniex Quantum® it's the world's first patented 4 color brightest emergency warning product series. Available in 4 configuration types; Single, Dual, Tri and Quad across a family of 6 Light Bars, 5 light sticks, and 20+ Vehicle specific Inner Bars. At Feniex we will manufacture the Quantum® Series, with all 4 versions of Single, Dual, Tri and Quad, in 1 part number with the ability to be unlocked by a Feniex authorized dealer to any version depending on the customer's needs at an additional cost. No more securing customer configuration. No more paying for technology that's not needed. No more long production wait times. Pay for what you need and customize what you want, all under 1 part number.

- Available in Single, Dual, Tri and Quad Color Versions
- Each Module has Amber, Blue, White & Red Colors
- Computer Programmable with Unlock Quantum® Software
- Integrated Features & Functions:
 - Takedown, Alley & Flood Mode
 Dim & Cut-off Modes
 - Front & Rear Flashing Modes
 Cruise & Park Modes
 - DOT Stop-Turn-Tail Modes
 - Arrow Directional Modes

- California Red Mode
- 10 User Programmable Modes
- Over 20 Warning Flash Patterns
- 60° Wide Optical Spread
- Universal Mount for all Vehicle Makes & Models
- Easy Field Serviceability with Plug-&-Play Connectivity
- Cable Length: 10 Feet
- 192 LED Count
- Compatible with Quad Converter & 28 modes










QUANTUM® 44"

LIGHTBAR

A. Quantum® 44" Lightbar B. Quad Converter [included]





PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. QT-4420	1.6" x 11.8" x 44.5"	10-18 V DC	14 Amps	R B A W
B. Q-0020	1" x 2.6" x 4.1"	10-18 V DC	1 Amp	

MOUNTING:









SOFTWARE:

Quantum Unlock



CERTIFICATIONS:















DESCRIPTION:

The Feniex Quantum® it's the world's first patented 4 color brightest emergency warning product series. Available in 4 configuration types; Single, Dual, Tri and Quad across a family of 6 Light Bars, 5 light sticks, and 20+ Vehicle specific Inner Bars. At Feniex we will manufacture the Quantum® Series, with all 4 versions of Single, Dual, Tri and Quad, in 1 part number with the ability to be unlocked by a Feniex authorized dealer to any version depending on the customer's needs at an additional cost. No more securing customer configuration. No more paying for technology that's not needed. No more long production wait times. Pay for what you need and customize what you want, all under 1 part number.

- Available in Single, Dual, Tri and Quad Color Versions
- Each Module has Amber, Blue, White & Red Colors
- Computer Programmable with Unlock Quantum® Software
- Integrated Features & Functions:
 - Takedown, Alley & Flood Mode
 Dim & Cut-off Modes
 - Front & Rear Flashing Modes
- Cruise & Park Modes
- DOT Stop-Turn-Tail Modes
- Arrow Directional Modes
- California Red Mode
- Anti-yellowing & anticracking clear-coated polycarbonate Lens




- 28 Programmable Modes
- Over 20 Warning Flash Patterns
- 60° Wide Optical Light Spread
- Aluminum Top Cover Provides Structural Reinforcement
- Easy Field Serviceability with Plug-&-Play Connectivity
- Packaged with Quad Converter providing 28 programmable
- Hook-mount supports 30+ vehicle makes & models
- Permanent, Headache, Hook & Adjustable Mounts Available
- Rugged Aluminum Chassis Prevents Bowing
- Cable Length: 15 Feet
- 528 LED Count
- Quad Converter

QUANTUM® 49"

LIGHTBAR

A. Quantum® 49" Lightbar B. Quad Converter [included]





PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. QT-4918	1.6" x 11.8" x 49.15"	10-18 V DC	16 Amps	R B A W
B. Q-0020	1" x 2.6" x 4.1"	10-18 V DC	1 Amp	

MOUNTING:









SOFTWARE:

Quantum Unlock



CERTIFICATIONS:

















DESCRIPTION:

The Feniex Quantum® it's the world's first patented 4 color brightest emergency warning product series. Available in 4 configuration types; Single, Dual, Tri and Quad across a family of 6 Light Bars, 5 light sticks, and 20+ Vehicle specific Inner Bars. At Feniex we will manufacture the Quantum® Series, with all 4 versions of Single, Dual, Tri and Quad, in 1 part number with the ability to be unlocked by a Feniex authorized dealer to any version depending on the customer's needs at an additional cost. No more securing customer configuration. No more paying for technology that's not needed. No more long production wait times. Pay for what you need and customize what you want, all under 1 part number.

- Available in Single, Dual, Tri and Quad Color Versions
- Each Module has Amber, Blue, White & Red Colors
- Computer Programmable with Unlock Quantum® Software
- Integrated Features & Functions:
 - Takedown, Alley & Flood Mode
 Dim & Cut-off Modes
 - Front & Rear Flashing Modes
- Cruise & Park Modes
- DOT Stop-Turn-Tail Modes
- Arrow Directional Modes
- California Red Mode
- Anti-yellowing & anticracking clear-coated polycarbonate Lens



- 28 Programmable Modes
- Over 20 Warning Flash Patterns
- 60° Wide Optical Light Spread
- Aluminum Top Cover Provides Structural Reinforcement
- Easy Field Serviceability with Plug-&-Play Connectivity
- Packaged with Quad Converter providing 28 programmable modes
- Hook-mount supports 30+ vehicle makes & models
- Permanent, Headache, Hook & Adjustable Mounts Available
- Rugged Aluminum Chassis Prevents Bowing
- Cable Length: 15 Feet
- 624 LED Count
- Quad Converter




QUANTUM® 60"

LIGHTBAR

A. Quantum® 60" Lightbar B. Quad Converter [included]





PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. QT-6020	1.6" x 11.8" x 59.8"	10-18 V DC	18 Amps	R B A W
B. Q-0020	1" x 2.6" x 4.1"	10-18 V DC	1 Amp	

MOUNTING:









SOFTWARE:

Quantum Unlock



CERTIFICATIONS:

















DESCRIPTION:

The Feniex Quantum® it's the world's first patented 4 color brightest emergency warning product series. Available in 4 configuration types; Single, Dual, Tri and Quad across a family of 6 Light Bars, 5 light sticks, and 20+ Vehicle specific Inner Bars. At Feniex we will manufacture the Quantum® Series, with all 4 versions of Single, Dual, Tri and Quad, in 1 part number with the ability to be unlocked by a Feniex authorized dealer to any version depending on the customer's needs at an additional cost. No more securing customer configuration. No more paying for technology that's not needed. No more long production wait times. Pay for what you need and customize what you want, all under 1 part number.

- Available in Single, Dual, Tri and Quad Color Versions
- Each Module has Amber, Blue, White & Red Colors
- Computer Programmable with Unlock Quantum® Software
- Integrated Features & Functions:
 - Takedown, Alley & Flood Mode
 Dim & Cut-off Modes
 - Front & Rear Flashing Modes
- Cruise & Park Modes
- DOT Stop-Turn-Tail Modes
- California Red Mode
- Arrow Directional Modes

- Anti-yellowing & anticracking clear-coated polycarbonate Lens



Military-grade

- 28 Programmable Modes
- Over 20 Warning Flash Patterns
- 60° Wide Optical Light Spread
- Aluminum Top Cover Provides Structural Reinforcement
- Easy Field Serviceability with Plug-&-Play Connectivity
- Packaged with Quad Converter providing 28 programmable modes
- Hook-mount supports 30+ vehicle makes & models
- Permanent, Headache, Hook & Adjustable Mounts Available
- Rugged Aluminum Chassis Prevents Bowing
- Cable Length: 15 Feet
- 720 LED Count
- Quad Converter

Perimeter



PERIMETER LIGHT

A. Quantum® Spoiler



DIMENSIONS



CERTIFICATIONS:



PART

A. QT-****

NUMBER









10-18 V DC





■ 10 User Programmable Modes

■ 60° Wide Optical Spread

■ Cable Length: 10 Feet

Over 20 Warning Flash Patterns

■ Available in 5 Vehicle Makes & Models

5 Amps



R B A W

DESCRIPTION:

The Feniex Quantum® it's the world's first patented 4 color brightest emergency warning product series. Available in 4 configuration types; Single, Dual, Tri and Quad across a family of 6 Light Bars, 5 light sticks, and 20+ Vehicle specific Inner Bars. At Feniex we will manufacture the Quantum® Series, with all 4 versions of Single, Dual, Tri and Quad, in 1 part number with the ability to be unlocked by a Feniex authorized dealer to any version depending on the customer's needs at an additional cost. No more securing customer configuration. No more paying for technology that's not needed. No more long production wait times. Pay for what you need and customize what you want, all under 1 part number.

- Available in Single, Dual, Tri and Quad Color Versions
- Each Module has Amber, Blue, White & Red Colors
- Computer Programmable with Unlock Quantum® Software
- Integrated Features & Functions:
 - Takedown, Alley & Flood Mode
 Dim & Cut-off Modes
 - Front & Rear Flashing Modes
 Cruise & Park Modes
 - DOT Stop-Turn-Tail Modes
 - Arrow Directional Modes

- California Red Mode
- 144 LED Count
 - Compatible with Quad Converter & 28 modes

Rugged Vehicle-specific Vacuum-formed Housing

■ Easy Field Serviceability with Plug-&-Play Connectivity





Military-grade Aluminum



Perimeter

QUANTUM® PILLAR

PERIMETER LIGHT

A. Quantum® Pillar





PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. QT-***	-	10-18 V DC	5 Amps	R B A W

CERTIFICATIONS:















■ 10 User Programmable Modes

Over 20 Warning Flash Patterns

■ Available in 2 Vehicle Makes & Models

■ 60° Wide Optical Spread

■ Cable Length: 10 Feet



DESCRIPTION:

The Feniex Quantum® it's the world's first patented 4 color brightest emergency warning product series. Available in 4 configuration types; Single, Dual, Tri and Quad across a family of 6 Light Bars, 5 light sticks, and 20+ Vehicle specific Inner Bars. At Feniex we will manufacture the Quantum® Series, with all 4 versions of Single, Dual, Tri and Quad, in 1 part number with the ability to be unlocked by a Feniex authorized dealer to any version depending on the customer's needs at an additional cost. No more securing customer configuration. No more paying for technology that's not needed. No more long production wait times. Pay for what you need and customize what you want, all under 1 part number.

- Available in Single, Dual, Tri and Quad Color Versions
- Each Module has Amber, Blue, White & Red Colors
- Computer Programmable with Unlock Quantum® Software
- Integrated Features & Functions:
 - Takedown, Alley & Flood Mode
 Dim & Cut-off Modes
 - Front & Rear Flashing Modes
 Cruise & Park Modes
 - DOT Stop-Turn-Tail Modes
 - Arrow Directional Modes

- California Red Mode
- 144 LED Count
 - Compatible with Quad Converter & 28 modes

Rugged Vehicle-specific Vacuum-formed Housing

■ Easy Field Serviceability with Plug-&-Play Connectivity










✓ FUSION® AMBER PRODUCT LIST

The Fusion® Amber Series offers a full line of emergency warning lights for public works, towing, department of transportation, snow plows, etc. Each product is equipped with bright amber lighting in each module. Purchase at a low-cost single color with numerous modes and functions for every warning pattern needed. Built in the heart of Texas and manufactured in the USA.

 $Reference\ the\ products\ below\ with\ the\ following\ page\ for\ dimensions,\ voltage,\ current\ draw,\ colors\ and\ wire\ harnesses.$





Portfolio

PRODUCT	DIMENSIONS	VOLTAGE	CURRENT DRAW	COLOR	WIRE
A. 14" Mini Lightbar 😢	2.3" x 8.1" x 13.94"	10-18 V DC	5 Amps		Cig Plug
B. 18″ Mini Lightbar 😢	1.6" x 8.1" x 17.8"	10-18 V DC	6 Amps		Cig Plug
C. 27" Mini Lightbar 😢	1.6" x 8.1" x 27.1"	10-18 V DC	10 Amps		Cig Plug
D. Arrow Board	1.3" x 2.25" x 42.5"	10-18 V DC	12 Amps		8 Pin
E. 400 Lightstick	1.3" x 2.25" x 18.8"	10-18 V DC	3 Amps		8 Pin
F. 600 Light Stick	1.3" x 2.25" x 28.1"	10-18 V DC	5 Amps		8 Pin
G. 800 Light Stick	1.3" x 2.25" x 37.5"	10-18 V DC	6 Amps		8 Pin
H. Rocker Panel	1.3" x 2.25" x 64.4"	10-18 V DC	6 Amps		8 Pin
I. Tow 49" Lightbar	آ 1.6" x 11.8" x 49.2"	10-18 V DC	14 Amps		8 Pin
J. Tow 60" Lightbar	1.6" x 11.8" x 59.8"	10-18 V DC	14 Amps		8 Pin
K. 44" Lightbar	5 1.6" x 11.8" x 44.5"	10-18 V DC	17 Amps		2 Pin
L. 49" Lightbar	1.6" x 11.8" x 49.2"	10-18 V DC	20 Amps		2 Pin
M. 60" Lightbar	1.6" x 11.8" x 59.8"	10-18 V DC	23 Amps		2 Pin
N. Front Interior	N/A	10-18 V DC	6 Amps		8 Pin
O. Rear Interior	N/A	10-18 V DC	6 Amps		8 Pin

AMBER INDUSTRIES

The Fusion® Amber Series offers a full line of emergency warning lights for public works, towing, department of transportation, snow plows, construction, mining, etc.







▲ FUSION[®] AMBER 14'

MINI LIGHTBAR

A. Fusion® Amber 14" Mini Lightbar



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-8118-A	2.3" x 8.1" x 13.94"	10-18 V DC	5 Amps	A

MOUNTING:





CERTIFICATIONS:


















DESCRIPTION:

- Available in Single Color Amber
- Integrated Cigarette Plug Controller
- Permanent and Magnetic Mounts Available
- 7200 Lumens
- 26 Warning Flash Patterns
- IP66 Weather-resistant





- 36x single color led count
- 2 User Programmable Modes
- Field servicable
- 40° optical light spread for longrange visibility
- 15' cable length





▲ FUSION® AMBER 18"

MINI LIGHTBAR

A. Fusion® Amber 18" Mini Lightbar



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	COLORS
A. FS-1823-A	1.6" x 8.1" x 17.8"	10-18 V DC	6 Amps	A

MOUNTING:





CERTIFICATIONS:

















DESCRIPTION:

The Fusion Amber Series offers affordable, quality, American-made lighting products. The Fusion Amber products are 20% less money than the single color Fusion products, with all-amber color configurations.


- Available in Single Color Amber
- Integrated Cigarette Plug Controller
- Permanent and Magnetic Mounts Available
- 9600 Lumens
- 26 Warning Flash Patterns
- IP66 Weather-resistant



Weatherproof Polycarbonate Plastic Base



- 48x single color led count
- 2 User Programmable Modes
- Field servicable
- 40° optical light spread for longrange visibility
- 15' cable length







✓ FUSION[®] AMBER 27"

MINI LIGHTBAR

A. Fusion® Amber 27" Mini Lightbar



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-2723-A	1.6" x 8.1" x 27.1"	10-18 V DC	9 Amps	A

MOUNTING:





CERTIFICATIONS:

















DESCRIPTION:

The Fusion Amber Series offers affordable, quality, American-made lighting products. The Fusion Amber products are 20% less money than the single color Fusion products, with all-amber color configurations.


- Available in Single Color Amber
- Integrated Cigarette Plug Controller
- Permanent and Magnetic Mounts Available
- 14400 Lumens
- 26 Warning Flash Patterns
- IP66 Weather-resistant



Weatherproof Polycarbonate Plastic Base



- 72x single color led count
- 2 User Programmable Modes
- Field servicable
- 40° optical light spread for longrange visibility
- 15' cable length










44" LIGHTBAR

A. Fusion® Amber GPL 44" Lightbar

B. Quad Converter



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-4420-A	1.6" x 11.8" x 44.5"	10-18 V DC	17 Amps	A
B. Q-0020	1" x 2.6" x 4.1"	10-18 V DC	1 Amp	

MOUNTING:









CERTIFICATIONS:























DESCRIPTION:

The Fusion Amber Series offers affordable, quality, American-made lighting products. The Fusion Amber products are 20% less money than the single color Fusion products, with all-amber color configurations.

- Available in Single Color Amber
- Packaged with Quad Converter providing extra programming modes
- Compatible with a 4200 Mini, 4200 DL, Typhoon and Feniex ONE Controller
- Integrated features & functions:
- Front and Rear Flashing Modes
- Arrow Directional Modes
- Dim and Cut-off Modes
- Cruise and Park Modes





Military-grade Aluminum



- 132x single color led count
- 15 programmable flash patterns
- Field servicable
- 40° optical light spread for longrange visibility
- 15' cable length
- Standard hook-mount supports 30+ vehicle makes & models
- 26400 Lumens
- Cable length: 15'
- IP66 Weather-resistant








49" LIGHTBAR

A. Fusion® Amber GPL 49" Lightbar

B. Quad Converter



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-4918-A	1.6" x 11.8" x 49.2"	10-18 V DC	20 Amps	A
B. Q-0020	1" x 2.6" x 4.1"	10-18 V DC	1 Amp	

MOUNTING:









CERTIFICATIONS:























DESCRIPTION:

- Available in Single Color Amber
- Packaged with Quad Converter providing extra programming modes
- Compatible with a 4200 Mini, 4200 DL, Typhoon and Feniex ONE Controller
- Integrated features & functions:
- Front and Rear Flashing Modes
- Arrow Directional Modes
- Dim and Cut-off Modes
- Cruise and Park Modes







- 156x single color led count
- 15 programmable flash patterns
- Field servicable
- 40° optical light spread for longrange visibility
- 15' cable length
- Standard hook-mount supports 30+ vehicle makes & models
- 31200 Lumens
- Cable length: 15'
- IP66 Weather-resistant






✓ FUSION® GPL 60»

LIGHTBAR

A. Fusion® GPL 60" Lightbar

B. Quad Converter



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-6018-A	1.6" x 11.8" x 59.8"	10-18 V DC	23 Amps	A
B. Q-0020	1" x 2.6" x 4.1"	10-18 V DC	1 Amp	

MOUNTING:









CERTIFICATIONS:























DESCRIPTION:

The Fusion Amber Series offers affordable, quality, American-made lighting products. The Fusion Amber products are 20% less money than the single color Fusion products, with all-amber color configurations.

- Available in Single Color Amber
- Packaged with Quad Converter providing extra programming modes
- Compatible with a 4200 Mini, 4200 DL, Typhoon and Feniex ONE Controller
- Integrated features & functions:
- Front and Rear Flashing Modes
- Arrow Directional Modes
- Dim and Cut-off Modes
- Cruise and Park Modes





Military-grade Aluminum



- 180x single color led count
- 15 programmable flash patterns
- Field servicable
- 40° optical light spread for longrange visibility
- 15' cable length
- Standard hook-mount supports 30+ vehicle makes & models
- 36000 Lumens
- Cable length: 15'
- IP66 Weather-resistant





49" LIGHTBAR

A. Fusion® Amber Tow 49" Lightbar



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-0320-A	1.6" x 11.8" x 49.2"	10-18 V DC	14 Amps	A R W

MOUNTING:









CONFIGURATION:

Front



CERTIFICATIONS:
























DESCRIPTION:

- Available in Single Color Amber
- Compatible with a 4200 Mini, 4200 DL, Typhoon and Feniex ONE Controller
- Integrated features & functions:
 - Stop, Turn & Tail
 - Worklight





Military-grade Aluminum



- 108x single color led count
- 16 programmable flash patterns
- Field servicable
- 40° optical light spread for longrange visibility
- 15' cable length
- Standard hook-mount supports 30+ vehicle makes & models
- 21600 Lumens
- Cable length: 15'
- IP66 Weather-resistant







60" LIGHTBAR

A. Fusion® Tow 60" Lightbar



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-0320-A	1.6" x 11.8" x 59.8"	10-18 V DC	14 Amps	A

MOUNTING:









CONFIGURATION:

Fron



Rear

CERTIFICATIONS:























DESCRIPTION:

- Available in Single Color Amber
- Compatible with a 4200 Mini, 4200 DL, Typhoon and Feniex ONE Controller
- Integrated features & functions:
 - Stop, Turn & Tail
 - Worklight





- 108x single color led count
- 15 programmable flash patterns
- Field servicable
- 40° optical light spread for longrange visibility
- 15' cable length
- Standard hook-mount supports
 30+ vehicle makes & models
- 21600 Lumens
- IP66 Weather-resistant





Interior Lightbars



INTERIOR LIGHTBAR

A. Fusion® Amber Front Interior Lightbar



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-***-A	1.3" x 2.25" x 42.5"	10-18 V DC	6 Amps	A

CERTIFICATIONS:

















DESCRIPTION:

- Available in Single Color Amber
- Compatible with a 4200 Mini Controller
- Moisture-resistant encapsulated modules
- Arrow Directional Modes:
 - 9 Directional Sequences





Military-grade Aluminum



- 48x single color led count
- 16 programmable flash patterns
- Field servicable
- 40° optical light spread for longrange visibility
- 8' cable length
- 9600 Lumens
- Cable length: 15'
- IP67 Weather-resistant
- 1 User Programmable Modes



Interior Lightbars



CERTIFICATIONS:


















DESCRIPTION:

The Fusion Amber Series offers affordable, quality, American-made lighting products. The Fusion Amber products are 20% less money than the single color Fusion products, with all-amber color configurations.

- Available in Single Color Amber
- Compatible with a 4200 Mini Controller
- Moisture-resistant encapsulated modules
- Arrow Directional Modes:
 - 9 Directional Sequences







- 48x single color led count
- 16 programmable flash patterns
- Field servicable
- 40° optical light spread for longrange visibility
- 8' cable length
- 9600 Lumens
- Cable length: 15'
- IP67 Weather-resistant
- 1 User Programmable Modes





PART DIMENSIONS VOLTAGE CURRENT LED COLORS

A. FS-0416-A 1.22" x 18.82" x 2.25" 10-18 V DC 3 Amps A

MOUNTING:













CERTIFICATIONS:

















DESCRIPTION:

- Available in Single Color Amber
- Compatible with 4200 Mini Controller, 4200 Data Link, Typhoon and Feniex One
- Moisture-resistant encapsulated modules
- Arrow Directional Modes:
- 9 Directional Sequences
- 1 User Programmable Mode

- 24x single color led count
- 16 programmable flash patterns
- Field servicable
- 40° optical light spread for longrange visibility
- 8' cable length
- 4800 Lumens
- Cable length: 8'
- IP67 Weather-resistant









PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-0616-A	1.22" x 28.14" x 2.25"	10-18 V DC	5 Amps	A

MOUNTING:



CERTIFICATIONS:

















DESCRIPTION:

- Available in Single Color Amber
- Compatible with 4200 Mini Controller, 4200 Data Link, Typhoon and Feniex One
- Moisture-resistant encapsulated modules
- Arrow Directional Modes:
- 9 Directional Sequences
- 1 User Programmable Mode

- 36x single color led count
- 16 programmable flash patterns
- Field servicable
- 40° optical light spread for longrange visibility
- 8' cable length
- 7200 Lumens
- Cable length: 8'
- IP67 Weather-resistant













PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-0816-A	1.22" x 37.46" x 2.25"	10-18 V DC	6 Amps	A

MOUNTING:



CERTIFICATIONS:



Fusion

Amber Wires















DESCRIPTION:

The Fusion Amber Series offers affordable, quality, American-made lighting products. The Fusion Amber products are 20% less money than the single color Fusion products, with all-amber color configurations.

- Available in Single Color Amber
- Compatible with 4200 Mini Controller, 4200 Data Link, Typhoon and Feniex One
- Moisture-resistant encapsulated modules
- Arrow Directional Modes:
- 9 Directional Sequences
- 1 User Programmable Mode
 - Military-grade
 Aluminum

 Anti-yellowing & anticracking clear-coated

polycarbonate Lens

- 48x single color led count
- 16 programmable flash patterns
- Field servicable
- 40° optical light spread for longrange visibility
- 8' cable length
- 9600 Lumens
- Cable length: 8'
- IP67 Weather-resistant







A. Fusion® Amber Rocker Panels



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-8816-A	1.22" x 63.75" x 2.25"	10-18 V DC	6 Amps	A

MOUNTING:













CERTIFICATIONS:


















DESCRIPTION:

- Available in Single Color Amber
- Compatible with a 4200 Mini Controller, Typhoon, Feniex One & 4200 Data Link
- Moisture-resistant encapsulated modules
- Arrow Directional Modes:
- 9 Directional Sequences
- 1 User Programmable Mode

- 48x single color led count
- 16 programmable flash patterns
- Field servicable
- 40° optical light spread for longrange visibility
- 8' cable length
- 9600 Lumens
- Cable length: 15'
- IP67 Weather-resistant









▲ FUSION® AMBER ARROW LIGHTSTICK

A. Fusion® Amber Arrow Board



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-1016-A	15" x 2.63" x 42.46"	10-18 V DC	12 Amps	A

MOUNTING:



CERTIFICATIONS:

















DESCRIPTION:

The Fusion Amber Series offers affordable, quality, American-made lighting products. The Fusion Amber products are 20% less money than the single color Fusion products, with all-amber color configurations.

- Available in Single Color Amber
- Compatible with a 4200 Mini Controller, Typhoon, Feniex One & 4200 Data Link
- Moisture-resistant encapsulated modules
- Integrated features & functions:
- Arrow Directional Modes: 9 Directional Sequences
- 1 User Programmable Mode

- 96x single color led count
- 16 programmable flash patterns
- Field servicable
- 40° optical light spread for longrange visibility
- 8' cable length
- 19,200 Lumens











FUSION

FAQ

Purchase the Fusion® Amber products from any Feniex Dealer Where to Buy: or directly from Feniex Industries, Inc.

Visit Feniex University for step-by-step instructions on how to install and configure How to Install:

your Fusion® Amber products. Consult Feniex Industries, Inc. to locate your local Feniex

Certified Dealer

Fusion® Amber products are offered at 20% less than other Fusion® products. All Fusion® Why buy Fusion® Amber:

Amber products are proudly made and manufactured in the USA.

How to Contact Feniex: Call Feniex at our Austin office at (800) 615-8350 or email us for support@feniex.com.

Manufacturer Always use safety when installing Feniex products by using best practice methods. Recommendations


For on-site or virtual classes, visit feniextraining.com to register.


All instruction manuals for the Fusion® Amber products can be found on the product **Common Errors:**

pages by visiting feniex.com.

Product Locations

Use the diagram below to see which products have specific mounting locations.





INITEDIOD

PRODUCT

MINI LIGHTBAR	LIGHTSTICKS	TOW LIGHTBARS	LIGHTBARS	LIGHTBARS
A. 14" Mini Lightbar	D. Arrow Board	I. Tow 49" Lightbar	K. 44" Lightbar	N. Interior Lightbar
B. 18" Mini Lightbar	E. 400 Lightstick	J. Tow 60" Lightbar	L. 49" Lightbar	
C. 27" Mini Lightbar	F. 600 Light Stick		M. 60" Lightbar	
	G. 800 Light Stick			
	H. Rocker Panel			



Portfolio

Fusion® S

PRODUCT	DIMENSIONS	VOLTAGE	CURRENT DRAW	SYNC	WIRE
A. 1X Dash Light (2)	1.7" x 4.97" x 9.71"	10-18 V DC	1 Amp	(S	Cig Plug
B. 2X Dash Light	1.7" x 4.97" x 13.8"	10-18 V DC	1.5 Amps	(S)	Cig Plug
C. Mini Lightbar	2.3" x 8.1" x 13.94"	10-18 V DC	5 Amps	(S	Cig Plug
D. Arrow Board	1.3" x 2.25" x 42.5"	10-18 V DC	8 Amps		4 Pin
M. 400 Lightstick	1.3" x 2.25" x 18.8"	10-18 V DC	4 Amps		4 Pin
J. 600 Light Stick	1.3" x 2.25" x 28.1"	10-18 V DC	5 Amps		4 Pin
N. 800 Light Stick	1.3" x 2.25" x 37.5"	10-18 V DC	6 Amps		4 Pin
O. Rocker Panels	1.3" x 2.25" x 64.4"	10-18 V DC	12 Amps		4 Pin
T. Interior Lightbars	N/A	10-18 V DC	6 Amps		4 Pin
E. 44" Lightbar	1.6" x 11.8" x 44.5"	10-18 V DC	15 Amps		4 Pin
H. 49" Lightbar	1.6" x 11.8" x 49.2"	10-18 V DC	16 Amps		4 Pin
I. 60" Lightbar	1.6" x 11.8" x 59.8"	10-18 V DC	18 Amps		4 Pin
U. Tow 49" Lightbar	1.6" x 11.8" x 49.2"	10-18 V DC	16 Amps		4 Pin
V. Tow 60" Lightbar	1.6" x 11.8" x 59.8"	10-18 V DC	18 Amps		4 Pin
F. Surface Mount #	0.88" x 1.7" x 5.22"	10-18 V DC	1 Amp	(6 Pin
G. Dual Stack	1.8" x 1.7" x 5.22"	10-18 V DC	2 Amps	(6 Pin
K. 200 Light Stick	1.3" x 2.25" x 9.5"	10-18 V DC	1.5 Amps	(S	6 Pin
L. 100 Light Stick (‡)	1.3" x 2.25" x 4.8"	10-18 V DC	1 Amp	(S)	6 Pin
Q. Pillar Mount	N/A	10-18 V DC	5 Amps	(S)	6 Pin
R. Mirror Mount 😩	N/A	10-18 V DC	1.5 Amps	ß	6 Pin
S. Spoiler Mount	N/A	10-18 V DC	5 Amps	(S)	6 Pin

Product Locations

Use the diagram below to see which products have specific mounting locations.

LegendUse the icons to determine the wiring harness for the products.




















FUSION'S





↓ FUSION-S GPL 44"

LIGHTBAR

A. Fusion-S GPL 44" Lightbar



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-4420	1.6" x 11.8" x 44.5"	10-18 V DC	14 Amps	R B A W G

MOUNTING:









CERTIFICATIONS:























DESCRIPTION:

The Feniex Fusion-S is the next evolution of the Fusion series. It is the world's brightest and most competitively priced emergency warning line. User configurable in red, blue, amber, white, and green, the Fusion-S offers the user a new and improved 60-degree optic that is 60% brighter than the previous Fusion family. No lighting line can compare to the brightness and light performance of the Fusion-S series.

- Available in Single Colors: R, B, A, W, G
- 4 programmable priority flashing modes
- Multiple programmable modes:
- Flood modes
- Stop, tail & turn signal patternsDim modes
- Cruise mode patterns
- Front & rear modes
- Traffic advisor modes
- 132x single color led count
- 15 programmable flash patterns
- Field servicable
- 60° optical light spread for longrange visibility
- 15' cable length
- Standard hook-mount supports 30+ vehicle makes & models





Military-grade Aluminum





↓ FUSION-S GPL 49"

LIGHTBAR

A. Fusion-S GPL 49" Lightbar



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-4918	1.6" x 11.8" x 49.2"	10-18 V DC	15 Amps	R B A W G

MOUNTING:









CERTIFICATIONS:























DESCRIPTION:

The Feniex Fusion-S is the next evolution of the Fusion series. It is the world's brightest and most competitively priced emergency warning line. User configurable in red, blue, amber, white, and green, the Fusion-S offers the user a new and improved 60-degree optic that is 60% brighter than the previous Fusion family. No lighting line can compare to the brightness and light performance of the Fusion-S series.


- Available in Single Colors: R, B, A, W, G
- 4 programmable priority flashing modes
- Multiple programmable modes:
- Flood modes
- Front & rear modes
- Stop, tail & turn signal patternsDim modes
- Cruise mode patterns

- Traffic advisor modes
- 156x single color led count
- 15 programmable flash patterns ■ Field servicable
- 60° optical light spread for longrange visibility
- 15' cable length
- Standard hook-mount supports 30+ vehicle makes & models





Military-grade Aluminum





▲ FUSION-S GPL 60"

LIGHTBAR

A. Fusion GPL 60" Lightbar

B. Quad Converter



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-6019	1.6" x 11.8" x 59.8"	10-18 V DC	16 Amps	R B A W G
B. Q-0020	1" x 2.6" x 4.1"	10-18 V DC	1 Amp	

MOUNTING:









CERTIFICATIONS:























DESCRIPTION:

The Feniex Fusion-S is the next evolution of the Fusion series. It is the world's brightest and most competitively priced emergency warning line. User configurable in red, blue, amber, white, and green, the Fusion-S offers the user a new and improved 60-degree optic that is 60% brighter than the previous Fusion family. No lighting line can compare to the brightness and light performance of the Fusion-S series.

- Available in Single Colors: R, B, A, W, G
- 4 programmable priority flashing modes
- Multiple programmable modes:
 - Flood modes
- Front & rear modes
- Stop, tail & turn signal patterns
 Dim modes
 - Diffi filodes
- Cruise mode patterns
- Traffic advisor modes
- 132x single color led count
- 15 programmable flash patterns
- Field servicable
- 60° optical light spread for longrange visibility
- 15' cable length
- Standard hook-mount supports
 30+ vehicle makes & models





Military-grade Aluminum



Anti-yellowing & anticracking clear-coated polycarbonate Lens

▲ FUSION-S MINI

LIGHTBAR

A. Fusion-S Mini Lightbar **B.** Quad Converter



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-8118	2.3" x 8.1" x 13.94"	10-18 V DC	5 Amps	R B A W G

MOUNTING:





CERTIFICATIONS:


















DESCRIPTION:

- Available in Single Colors: R, B, A, W, G
- 60° optical light spread for long-range visibility
- 2 programmable modes
- Syncs with T3, Cannon, Under Mirror Puck and QSM
- 15' cable length

- 36x single color led count
- Multiple modes capabilities:
- Flood mode patterns
- Cruise mode patterns











LIGHTBAR

A. Fusion Tow 49" Lightbar



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-0320	1.6" x 11.8" x 49.2"	10-18 V DC	9 Amps	R W A

MOUNTING:









CONFIGURATION:

Front



CERTIFICATIONS:























DESCRIPTION:

- Available in Single Colors: R, B, A, W, G
- 4 programmable priority flashing modes
- Syncs with T3, Cannon, Under Mirror Puck and QSM
- Multiple programmable modes:
 - Flood modes
 - Stop, tail & turn signal patternsDim modes
 - Cruise mode patterns
- - Traffic advisor modes
- 108x single color led count
- 15 programmable flash patterns
- Field servicable
- 60° optical light spread for longrange visibility
- 15' cable length
- Standard hook-mount supports 30+ vehicle makes & models









LIGHTBAR

A. Fusion Tow 60" Lightbar



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-0320	1.6" x 11.8" x 59.8"	10-18 V DC	10 Amps	R W A

MOUNTING:










CONFIGURATION:

Front



CERTIFICATIONS:























DESCRIPTION:

- Available in Single Colors: R, B, A, W, G
- 4 programmable priority flashing modes
- Syncs with T3, Cannon, Under Mirror Puck and QSM
- Multiple programmable modes:
- Flood modes
- Stop, tail & turn signal patterns
 Dim modes
- Cruise mode patterns
- Traffic advisor modes
- 108x single color led count
- 15 programmable flash patterns
- Field servicable
- 60° optical light spread for longrange visibility
- 15' cable length
- Standard hook-mount supports 30+ vehicle makes & models





Surface Mount

▲ FUSION-S SURFACE MOUNT

A. Fusion Surface Mount



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FSM-*	5.22" x 0.88" x 1.17"	10-18 V DC	1 Amp	R B A W G

MOUNTING:















VEHICLE SPECIFIC:







CERTIFICATIONS:

















DESCRIPTION:

- Available in Single Colors: R, B, A, W, G
- 60° optical light spread for long-range visibility
- 3 programmable modes
- Syncs with T3, Cannon, Under Mirror Puck and QSM
- 10' cable length

- 6x single color led count
- Multiple modes capabilities:
- Flood mode patterns
- Stop, tail & turn signal patterns
- Cruise mode patterns









Surface Mount

FUSION-S **DUAL STACK**

A. Fusion-S Dual Stack



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FDSM-*	5.22" x 0.88" x 1.17"	10-18 V DC	1.5 Amps	R B A W G

CERTIFICATIONS:

















DESCRIPTION:


- Available in Single Colors: R, B, A, W, G
- 60° optical light spread for long-range visibility
- 3 programmable modes
- Syncs with T3, Cannon, Under Mirror Puck and QSM
- 10' cable length

- 12x single color led count
- Multiple modes capabilities:
- Flood mode patterns
- Stop, tail & turn signal patterns
- Cruise mode patterns









▲ FUSION-S 100 LIGHTSTICK

A. Fusion-S 100 Lightstick



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-0116	1.22" x 4.8" x 2.25"	10-18 V DC	1 Amp	R B A W G

MOUNTING:













CERTIFICATIONS:

















DESCRIPTION:

- Available in Single Colors: R, B, A, W, G
- 60° optical light spread for long-range visibility
- 3 programmable modes
- Syncs with T3, Cannon, Under Mirror Puck and QSM
- 8' cable length

- 6x single color led countMultiple modes capabilities:Flood mode patterns
 - Flood mode patterns
 Stop, tail & turn signal patterns
 - Cruise mode patterns







▲ FUSION-S 200

LIGHTSTICK

A. Fusion-S 200 Lightstick



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-0216	1.22" x 4.8" x 2.25"	10-18 V DC	1.5 Amps	R B A W G

MOUNTING:













CERTIFICATIONS:

















DESCRIPTION:

The Feniex Fusion-S is the next evolution of the Fusion series. It is the world's brightest and most competitively priced emergency warning line. User configurable in red, blue, amber, white, and green, the Fusion-S offers the user a new and improved 60-degree optic that is 60% brighter than the previous Fusion family. No lighting line can compare to the brightness and light performance of the Fusion-S series.

- Available in Single Colors: R, B, A, W, G
- 60° optical light spread for long-range visibility
- 3 programmable modes
- Syncs with T3, Cannon, Under Mirror Puck and QSM
- 8' cable length

Fusion-S

Wire Harness

- Military-grade
 Aluminum

 Anti-yellowing & anticracking clear-coated
 polycarbonate Lens
- 6x single color led count
- Multiple modes capabilities:
- Flood mode patterns
- Stop, tail & turn signal patterns
- Cruise mode patterns



▲ FUSION-S 400

LIGHTSTICK

A. Fusion-S 400 Lightstick



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-0416	1.22" x 18.82" x 2.25"	10-18 V DC	4 Amps	R B A W G

MOUNTING:













CERTIFICATIONS:

















DESCRIPTION:

- Available in Single Colors: R, B, A, W, G
- 4 programmable priority flashing modes
- Syncs with T3, Cannon, Under Mirror Puck and QSM
- Multiple programmable modes:
- Flood modes
- Stop, tail & turn signal patternsDim modes
- Cruise mode patterns
- Traffic advisor modes
- 24x single color led count
- 15 programmable flash patterns
- Field servicable
- 60° optical light spread for longrange visibility
- 10' cable length







Fusion® S 600

▲ FUSION-S 600

LIGHTSTICK

A. Fusion-S 600 Lightstick



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-0616	1.22" x 28.14" x 2.25"	10-18 V DC	5 Amps	R B A W G

MOUNTING:













CERTIFICATIONS:

















DESCRIPTION:

- Available in Single Colors: R, B, A, W, G
- 4 programmable priority flashing modes
- Syncs with T3, Cannon, Under Mirror Puck and QSM
- Multiple programmable modes:
- Flood modes
- Stop, tail & turn signal patternsDim modes
- Cruise mode patterns
- Traffic advisor modes
- 36x single color led count
- 15 programmable flash patterns
- Field servicable
- 60° optical light spread for longrange visibility
- 10' cable length







Fusion® S 800



LIGHTSTICK

A. Fusion-S 800 Lightstick



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FN-0616	1.22" x 37.46" x 2.25"	10-18 V DC	6 Amps	R B A W G

MOUNTING:













CERTIFICATIONS:

















DESCRIPTION:

- Available in Single Colors: R, B, A, W, G
- 4 programmable priority flashing modes
- Syncs with T3, Cannon, Under Mirror Puck and QSM
- Multiple programmable modes:
- Flood modes
- Stop, tail & turn signal patternsDim modes
- Cruise mode patterns
- Traffic advisor modes
- 48x single color led count
- 15 programmable flash patterns
- Field servicable
- 60° optical light spread for longrange visibility
- 10' cable length







MOUNTING:



CERTIFICATIONS:

















DESCRIPTION:

- Available in Single Colors: R, B, A, W, G
- 4 programmable priority flashing modes
- Syncs with T3, Cannon, Under Mirror Puck and QSM
- Multiple programmable modes:
- Flood modes
- Stop, tail & turn signal patterns
 Dim modes
- Cruise mode patterns
- Traffic advisor modes
- 96x single color led count
- 15 programmable flash patterns
- Field servicable
- 60° optical light spread for longrange visibility
- 10' cable length
- Sold in sets of 2





R B A W G



10-18 V DC

A. FS-1016 MOUNTING:



CERTIFICATIONS:







1.3" x 2.25" x 42.5"









8 Amps



DESCRIPTION:

- Available in Single Colors: R, B, A, W, G
- 4 programmable priority flashing modes
- Syncs with T3, Cannon, Under Mirror Puck and QSM
- Multiple programmable modes:
 - Flood modes
 - Stop, tail & turn signal patterns
 Dim modes
 - Cruise mode patterns
- Traffic advisor modes
- 96x single color led count
- 15 programmable flash patterns
- Field servicable
- 60° optical light spread for longrange visibility
- 10' cable length







PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-***	1.3" x 2.25" x 42.5"	10-18 V DC	6 Amps	R B A W G

CERTIFICATIONS:

















DESCRIPTION:

- Available in Single Colors: R, B, A, W, G
- 3 programmable priority flashing modes
- Multiple programmable modes:
 - Flood modes
- Stop, tail & turn signal patterns
- Cruise mode patterns
- Dim modes
- Traffic advisor modes
- 48x single color led count
- 15 programmable flash patterns
- Field servicable
- 60° optical light spread for longrange visibility
- 10' cable length







PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-2811	1" x 2.25" x 37.5"	10-18 V DC	5 Amps	R B A W G

CERTIFICATIONS:

















DESCRIPTION:

- Available in Single Colors: R, B, A, W, G
- 3 programmable priority flashing modes
- Multiple programmable modes:
 - Flood modes
- Stop, tail & turn signal patternsDim modes
- Cruise mode patterns

- Traffic advisor modes
- 48x single color led count
- 15 programmable flash patterns
- Field servicable
- 60° optical light spread for longrange visibility
- 10' cable length







Dash Light

↓ FUSION-S 1X DASH LIGHT

A. Fusion 1X Dash Light



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-1116	1.72" x 9.71" x 4.97"	10-18 V DC	1 Amp	R B A W G

MOUNTING:



CERTIFICATIONS:
















DESCRIPTION:

- Available in Single Colors: R, B, A, W, G
- 60° optical light spread for long-range visibility
- 2 programmable modes
- Syncs with T3, Cannon, Under Mirror Puck and QSM
- Built-in shield prevents flashback
- 8' cable length





- 6x single color led count
- Multiple modes capabilities:
 - Flood mode patterns
 - Stop, tail & turn signal patterns
 - Cruise mode patterns
- Shipped with 2 mounting options: suction-cup and 3m permanent tape



Dash Light

✓ FUSION-S 2X DASH LIGHT

A. Fusion 2X Dash Light



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-2116	1.73" x 13.8" x 5.21"	10-18 V DC	1.5 Amps	R B A W G

MOUNTING:



CERTIFICATIONS:
















DESCRIPTION:

- Available in Single Colors: R, B, A, W, G
- 60° optical light spread for long-range visibility
- 2 programmable modes
- Syncs with T3, Cannon, Under Mirror Puck and QSM
- Built-in shield prevents flashback
- 8' cable length





- 12x single color led count
- Multiple modes capabilities:
 - Flood mode patterns
 - Stop, tail & turn signal patterns
 - Cruise mode patterns
- Shipped with 2 mounting options: suction-cup and 3m permanent tape



Perimeter Mount

▲ FUSION-SMIRROR

A. Fusion-S Mirror



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-****	N/A	10-18 V DC	1.5 Amps	R B A W G

CERTIFICATIONS:

















DESCRIPTION:

- Available in Single Colors: R, B, A, W, G
- 60° optical light spread for long-range visibility
- 3 programmable modes
- Syncs with T3, Cannon, Under Mirror Puck and QSM
- Multiple modes capabilities:
- Flood mode patterns
- Stop, tail & turn signal patterns
- Cruise mode patterns

- 12x single color led count
- Series supports 5+ vehicle makes & models
- Vehicle-specific vacuum-formed housing
- 2 lights total: 1 on each side





Perimeter Mount

4 FUSION-S PILLAR

A. Fusion-S Pillar



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-*****	N/A	10-18 V DC	5 Amps	R B A W G

CERTIFICATIONS:

















DESCRIPTION:

- Available in Single Colors: R, B, A, W, G
- 60° optical light spread for long-range visibility
- 3 programmable modes
- Syncs with T3, Cannon, Under Mirror Puck and QSM
- Multiple modes capabilities:
- Flood mode patterns
- Stop, tail & turn signal patterns
- Cruise mode patterns

- 36x single color led count
- Series supports 2+ vehicle makes & models
- Vehicle-specific vacuum-formed housing
- 6 lights total: 3 on each side







Perimeter Mount

▲ FUSION-S SPOILER

A. Fusion-S Pillar



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. FS-****	N/A	10-18 V DC	5 Amps	R B A W G

CERTIFICATIONS:

















DESCRIPTION:

- Available in Single Colors: R, B, A, W, G
- 60° optical light spread for long-range visibility
- 3 programmable modes
- Syncs with T3, Cannon, Under Mirror Puck and QSM
- Multiple modes capabilities:
- Flood mode patterns
- Stop, tail & turn signal patterns
- Cruise mode patterns

- 36x single color led count
- Series supports 5+ vehicle makes & models
- Vehicle-specific vacuum-formed housing
- 6 lights total: 3 on each side







A. Quad 1X Dash Light





PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. Q-1120	1.7" x 4.97" x 9.71"	10-18 V DC	1 Amp	R B A W

MOUNTING:



CERTIFICATIONS:


















DESCRIPTION:

- 15 programmable color settings: single, dual, tri & quad
- 2-user programmable modes
- Flood mode pattern capable
- Cruise mode pattern capable
- Stop, turn & tail pattern capable
- Built-in shield to protect against flash back
- Syncs with T3, Cannon, Under Mirror Puck & FSMs
- Cig plug with color, pattern & mode switches





- 24x led count
- 60° optical light spread
- 8' cable length
- Field servicable & plug-in-play connectivity





A. Quad 2X Dash Light





PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. Q-2120	1.7" x 4.97" x 13.8"	10-18 V DC	1.5 Amps	R B A W

MOUNTING:



CERTIFICATIONS:


















DESCRIPTION:

- 15 programmable color settings: single, dual, tri & quad
- 2-user programmable modes
- Flood mode pattern capable
- Cruise mode pattern capable
- Stop, turn & tail pattern capable
- Built-in shield to protect against flash back
- Syncs with T3, Cannon, Under Mirror Puck & FSMs
- Cig plug with color, pattern & mode switches





- 48x led count
- 60° optical light spread
- 8' cable length
- Field servicable & plug-in-play connectivity





QUAD SURFACE

MOUNT

A. Quad Surface Mount





PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. QSM-8101	0.88" x 1.7" x 5.22"	10-18 V DC	1 Amp	R B A W

MOUNTING:















VEHICLE SPECIFIC:







CERTIFICATIONS:















DESCRIPTION:

- 15 programmable color settings: single, dual, tri & quad
- Syncs with T3, Cannon, Under Mirror Puck & FSMs
- 3 programmable modes
- Flood and cruise mode pattern capable
- Stop, turn and tail pattern capable
- Field servicable & plug-in-play connectivity
- Surface Mount Wire Harness



- 24x led count
- 1' cable length
- 60° optical light spread

▲ QUAD DUAL STACK

A. Quad Dual Stack





NUMBER	DIMENSIONS	VOLTAGE	DRAW	COLORS
A. QDSM-8101	1.8" x 1.7" x 5.22"	10-18 V DC	1.5 Amps	R B A W

CERTIFICATIONS:















DESCRIPTION:

- 15 programmable color settings: single, dual, tri & quad
- Syncs with T3, Cannon, Under Mirror Puck & FSMs
- 3 programmable modes
- Flood and cruise mode pattern capable
- Stop, turn and tail pattern capable
- Field servicable & plug-in-play connectivity
- 48x led count
- 1' cable length
- 60° optical light spread







Surface Mount

▲ QUAD UNDER MIRROR PUCK

A. Quad Under Mirror Puck





PART NUMBER	DIMEN	SIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. QUM-0121	1" x 2.5" x	4.6"	10-18 V DC	1 Amp	R B A W
MOUNTING:					
Dodge Charger	Chevy Caprice	Ford Explorer	Chevy Silverado	Ford F-150	Ford Taurus
Dodge Durango	Ford Explorer	Chevy Tahoe	Chevy Silverado	Dodge Ram	

CERTIFICATIONS:















DESCRIPTION:

- 15 programmable color settings: single, dual, tri & quad
- Syncs with T3, Cannon, Under Mirror Puck & FSMs
- 3 programmable modes
- Flood and cruise mode pattern capable
- Stop, turn and tail pattern capable
- Field servicable & plug-in-play connectivity
- Anti-yellowing & anti-cracking clear-coated polycarbonate Lens
- 24x led count
- Purchase includes Quad Under Mirror Puck. Vehicle specific brackets sold separately.
- 60° optical light spread
- 8' cable length

Perimeter

QUAD MIRROR

MOUNT

A. Quad Mirror Mount





PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. Q-1400	N/A	10-18 V DC	1.5 Amps	R B A W

CERTIFICATIONS:















DESCRIPTION:

- 15 programmable color settings: single, dual, tri & quad
- Syncs with T3, Cannon, Under Mirror Puck & FSMs
- 3 programmable modes
- Flood and cruise mode pattern capable
- Turn pattern capable
- Series supports 5+ vehicle makes & models
- 48x led count
- 60° optical light spread







4 QUAD CANNON

HIDE A WAY

A. Quad Cannon Hide a way





PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. Q-2222	1" x 1" x 1.59"	10-18 V DC	1 Amp	R B A W

MOUNTING:

ADD-ONS:







CERTIFICATIONS:













DESCRIPTION:

The Cannon is the brightest, most versatile hide-a-way in the emergency market and a Feniex best-seller. 24 LEDS are housed within this compact, weatherproof design. The Cannon features 3 modes. Syncs with additional Cannons, Quad Under Mirror Puck Light, Fusion-S/Quad Surface Mounts (v3), Fusion-S/Quad Dual Stack, Fusion-S/Quad Mirror/Spoiler/Pillar Mount, Fusion-S/Quad 1X and 2X, Fusion-S/Quad 100, 200 and 400.

- 120° optic with option to convert to 360° optic
- 3 programmable modes
- Four color availability
- All-in-one design. No inline driver
- Functions as reverse light, turn light, tail light, fog light and/or warning light
- 24x led count
- Purchase includes Cannon, 2x screws and 1 gasket
- 10" cable harness







A. Quad Converter



PART NUMBER DIMENSIONS VOLTAGE MAX CURRENT OUTPUT

A. Q-0020 4" x 2.75" x 0.75" 10-18 V DC 750 mA 3.5 Amps on 6 outputs

COMPATIBILITY: FUSION-S & QUAD













CERTIFICATIONS:





DESCRIPTION:

- 15 programmable color settings: single, dual, tri & quad
- 15 color programmable rear traffic advisor: *left, right & center out*
- 4 programmable cut-off modes: front, rear, driver & passenger
- 4 programmable flood modes: front, rear, driver & passenger
- 15 programmable flash patterns for front & rear flashing
- 4 color programmable cruise modes: driver & passenger





Military-grade Aluminum

- 4 programmable priority flashing modes: *front* & *rear*
- Programmable California-red mode: 20 positions
- 3 programmable DOT functions: stop, turn & tail light
- 3 programmable brightness levels: 10%, 50% & 100%
- Cable length: 1'
- Built-in pattern & color selection switch
- Plug & play connectivity

Perimeter Lights





PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LENS COLORS
A. BN-0118	6.4" D x 4.4" H	10-18 V DC	2.3 Amps	R B A W G

MOUNTING:





CERTIFICATIONS:







Magnetic


DESCRIPTION:

Send the signal with the Feniex AM600 Beacon, an easy-to-use, reliable safety light for any public works or commercial vehicle. Combining quality and affordability, the AM600 is a single-color SAE J845-Class 1 Certified LED beacon with multiple mounting options and 20 flash patterns.

- Purchase includes: 1 beacon, cigarette plug controller and 3 mounting screws.
- 20 flash patterns
- Optional magnetic mount or pole mount add-ons
- 10' cable harness
- All flash patterns in slow/fast speeds
- Sync up to 6 beacons
- 40x LEDs









TYPHOON FULL FUNCTION

A. Typhoon Controller **B.** Typhoon Siren

PART NUMBER	DIMENSIONS	VOLTAGE	MAX CURRENT DRAW	AMPS PER OUTPUT
A. C-4017	6.8" x 2.4" x 1.2"	10-18 V DC	N/A	N/A
B. C-4017	4.8" x 7.4" x 2.5"	10-18 V DC	20 Amps	3.5 Amps on 6 outputs

MOUNTING:



CERTIFICATIONS:











DESCRIPTION:

The Typhoon Full Function system includes a 100w siren and integrated controller. Engineered with both pursuit and response vehicles in mind, the Typhoon Full Function features 6-programmable backlit buttons, a PA/microphone, and 23 police and fire tones with rotary dial selection.

- 21 programmable siren tones
- 6 auxiliary outputs [3.5A per output]
- Auxiliary buttons programmable as on/off or momentary
- Integrated 2 output wigwag capability [for lights]
- Integrated microphone
- Air horn, park-kill, radio rebroadcast capabilities



Military-grade Aluminum



Controller Polycarbonate Plastic Base

- Rotary switch
- 2' mic cable length
- Volume control
- Backlit LED buttons
- Purchase includes Typhoon siren, controller, dash mount bracket & legend sheet
- Compatible with most emergency

Siren & Controller

▲ TYPHOON HANDHELD

A. Typhoon Controller **B.** Typhoon Siren





PART NUMBER	DIMENSIONS	VOLTAGE	MAX CURRENT DRAW	AMPS PER OUTPUT
A. C-5017	6.8" x 2.4" x 1.2"	10-18 V DC	N/A	N/A
B. C-5017	4.8" x 7.4" x 2.5"	10-18 V DC	20 Amps	3.5 Amps on 6 outputs

MOUNTING:



CERTIFICATIONS:











DESCRIPTION:

Ride the wave of the Typhoon Handheld, an integrated, compact 100w siren/controller with ultraclear sound and reliable convenience. Engineered for undercover and volunteer applications, the Typhoon Handheld features 6-programmable backlit buttons, integrated PA/microphone with flexible mounting options, and 23 police and fire tones with push-button selection. Additional lead times for Spanish Tones.

- 21 programmable siren tones
- 6 auxiliary outputs [3.5A per output]
- Auxiliary buttons programmable as on/off or momentary
- Integrated 2 output wigwag capability [for lights]
- Integrated microphone
- 7 dedicated buttons for siren tones and programmed as momentary or on/off
- Air horn, park-kill, radio rebroadcast capabilities



Military-grade Aluminum



Controller Polycarbonate Plastic Base

- Rotary switch
- 2' mic cable length
- Volume control
- Backlit LED buttons
- Purchase includes Typhoon siren, controller, dash mount bracket & legend sheet
- Compatible with most emergency lights

Controller & Relay



Feniex Industries, Inc.

4200 DL CONTROLLER

> A. 4200 Controller B. 4200 DL Relay

PART NUMBER	DIMENSIONS	VOLTAGE	MAX CURRENT DRAW	AMPS PER OUTPUT
A. C-4200-DL	6.8" x 3.5" x 1.3"	10-18 V DC	N/A	N/A
B. C-4200-DL	6.3" x 3.3" x 1.5"	10-18 V DC	60 Amps	10 Amps on 18 outputs

MOUNTING:



CERTIFICATIONS:









DESCRIPTION:

The most powerful controller in the warning industry, the 4200 Datalink Controller is ideal for any emergency vehicle. Universally compatible and fully programmable, the 4200 DL can control your vehicle's entire lighting and siren system. Connects easily to the Feniex StormPro Siren or Fusion Series lightbar by using one of three Datalink ports.

- 18 programmable buttons: on/off, momentary and timer
- Free 4200 programmable software
- Auxiliary buttons programmable as on/off or momentary
- Integrated 2 output wigwag capability [for lights]
- Integrated microphone
- 7 dedicated buttons for siren tones and programmed as momentary or on/off
- Air horn, park-kill, radio rebroadcast capabilities
- Fuse 125% of circuit draw



Military-grade Aluminum



Controller Polycarbonate Plastic Base

- Console face plates available with Havis, Jotto and Troy
- Backlit LED buttons
- Purchase includes 4200 controller & relay, 4x button legend sheets, 2x RJ45 cables, 1x usb cable and u-bracket
- Compatible with most emergency lights
- Capabilities
 - 3 position slide switch
 - 2 channel integrated wigwag
 - 18 programmable 10 amp outputs
 - Programmable ignition activation
- Programmable night mode

activation

- Programmable day mode activation
 - 2 programmable 12V- inputs

Controller & Relay

4200 MINI CONTROLLER

A. 4200 Mini



PART NUMBER	DIMENSIONS	VOLTAGE	MAX CURRENT DRAW	AMPS PER OUTPUT
A. C-4010	4" x 2.75" x 0.75"	10-18 V DC	750 mA	3.5 Amps on 6 outputs

MOUNTING:





CERTIFICATIONS:









DESCRIPTION:

The 4200 Mini Controller is the new standard for any vehicle. With 6 programmable buttons and an aluminum, waterproof case, this ultra-compact controller can be mounted practically anywhere and will withstand demanding environments.

- 6 programmable buttons: *on/off or momentary*
- Integrated 2 output wigwag capability
- Fuse 125% of circuit draw





Military-grade Aluminum



Polycarbonate Plastic Base Cover

- Backlit LED buttons
- Purchase includes 4200 mini controller, button legend sheets and side brackets
- Compatible with most emergency lights



Feniex One

Controller & Relay

▲ FENIEX ONE CONTROLLER

A. Feniex one Controller **B.** Feniex One Relay



PART NUMBER	DIMENSIONS	VOLTAGE	MAX CURRENT DRAW	AMPS PER OUTPUT
A. C-4200-DL	7.3" x 1.13" x 3.13"	10-18 V DC	N/A	N/A
B. C-4200-DL	8" x 6.25" x 2.44"	10-18 V DC	60 Amps	5 Amps on 32 outputs

MOUNTING:







CERTIFICATIONS:









DESCRIPTION:

The Feniex One is the world's first autonomous controller. Feniex Industries now brings the officer, the fleet manager and the installer a brand new product of incredible performance. The Feniex One champions functionality, ease of use, and streamlined installation. The next evolution in smart controllers goes beyond traditional standards with innovations that bridge the gap of automation. Transformative technology. The Feniex One.

*Purchasing without an obd2 plug-in will limit the functionality of the controller and require additional installation. Consult your Feniex Representative or Customer Support for more questions.

- Built-in 200W dual-tone siren with audio commands
- Integrated 3-position programmable slide switch
- 16 programmable push buttons with 5 color options
- 3 additional programmable LCD push buttons
- Feniex software easy to configure and program
- Feniex Web offers live fleet health monitoring
- 32 programmable outputs rated at 5 amps each
- Integrated GPS timing chip for vehicle to vehicle sync
- 8 programmable inputs with 12v+ or 12v- options
- 8 programmable Quad serial outputs



Relay Military-grade Aluminum



Controller Polycarbonate Plastic Base

- Console face plates available with Havis, Jotto and Troy
- 15' controller cable length
- Purchase includes Feniex One controller & relay, button legend sheets, u-bracket, antenna, usb cable, ethernet cable, wire harnesses for data link, outputs, inputs and siren
- Compatible with most emergency lights
- Powered by ARM A9 Quad Core Processor



PART NUMBER	DIMENSIONS	VOLTAGE	MAX CURRENT DRAW	POWER OUTPUT
A. C-4014	4.1" x 6" x 2.5"	10-18 V DC	10A	100W
B. C-4014	2.7" x 3.74" x 1.81"	N/A	N/A	N/A

MOUNTING:



CERTIFICATIONS:











DESCRIPTION:

The Storm Pro 100 Watt Siren packs a punch and produces 124 decibels of clear, thundering sound in 23 programmable tones. The leading siren for pursuit and response vehicles, the Storm has remote activation that allows universal compatibility with non-Feniex controllers. For maximum impact, pair your Storm Pro police siren with the Feniex Triton speaker and the Feniex 4200 DataLink controller. Meets or exceeds SAE J1849 standards.

- 100W power output
- 21 programmable tones
- Microphone included for PA functionality
- Capabilities:
 - Radio rebroadcast
 - Park-kill
 - Horn ring
 - 4 programmable modes
- Integrated push button for tone selection



Siren Military-grade Aluminum

- Purchase includes Storm Pro 100W, RJ45 cable, microphone and microphone mounting set
- Functions with most existing controllers and switch panels
- 15' microphone cable length

▲ STORM PRO 200W SIREN

A. Storm Pro 200W Siren **B.** Microphone



PART NUMBER	DIMENSIONS	VOLTAGE	MAX CURRENT DRAW	POWER OUTPUT
A. C-4015	6.6" x 6" x 2.5"	10-18 V DC	20A	200W
B. C-4014	2.7" x 3.74" x 1.81"	N/A	N/A	N/A

MOUNTING:



CERTIFICATIONS:











DESCRIPTION:

The Storm Pro 200 Watt Siren packs a punch, producing 130 decibels of clear, thundering sound in 23 programmable tones. The leading siren for pursuit and response vehicles, the Storm Pro 200w is dual-tone capable with remote activation that allows for universal compatibility with non-Feniex controllers. For maximum impact, pair your Storm Pro police siren with the Feniex Triton speaker and the Feniex 4200 DataLink controller. Meets or exceeds SAE J1849 standards. Additional lead times for Spanish Tones.

- 200W power output
- 21 programmable tones
- Dual tone capability
- Microphone included for PA functionality
- Capabilities:
 - Radio rebroadcast
 - Park-kill
 - Horn ring
 - 6 programmable modes
- Integrated push button for tone selection



Military-grade Aluminum

- Purchase includes Storm Pro 200W, RJ45 cable, microphone and microphone mounting set
- Functions with most existing controllers and switch panels

Torch Light

Scene Lighting



A. Torch Light



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. PL-1519	6.125" x 3.25" x 12"	11-27 V DC	14 peak Amps	W

MOUNTING:

Pole bracket



CERTIFICATIONS:





DESCRIPTION:

The Feniex Torch Pole Light is incredibly bright and fully adjustable, making it the best work light for any construction, towing, fire apparatus or utility vehicle. Featuring 84 incredibly bright flood LEDs and 110° light spread, the Torch Light is guaranteed to light up any scene.

- 20,000 lumens
- Working temperature: -40° F to 65° F
- Power supply: spiral harness
- 150W power
- Mounting brackets included

- 84x led count
- Purchase includes adjustable pole mount with 2.75" standoff brackets
- 48" wire harness
- 110° optical light spread







A. AM900 Work Light



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. WL-0118	4.4" x 3.3" x 2.2"	10-24 V DC	1.75 A	W

MOUNTING:



CERTIFICATIONS:





DESCRIPTION:

Make work brighter with the Feniex AM900 Work Light, an effective and high-quality work light for any construction, towing, plow or utility vehicle. Featuring 8 incredibly bright flood LEDs, the AM900 offers excellent heat dispersion and a rugged, durable aluminum exterior.

- 8 high power LEDs
- Power output: 20W
- Mounts vertically or horizontally
- orizontally







- 8x high power led count
- Purchase includes swivel mount
- 16" wire harness



A. T3 Surface Mount



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. D-50015	1" x 3.4" x 1.05"	10-18 V DC	0.75 A	R B A W G

MOUNTING:











CERTIFICATIONS:











DESCRIPTION:

A surface mount that works as hard as you do: the T3 is fiercely bright, affordable and can be mounted almost anywhere on your vehicle. Compact and weatherproof, count on the Feniex T3 to get the job done.

- Available brake, tail and steady-on patterns
- Cost effective
- Mounts vertically or horizontally
 - Weatherproof powdercoated anodized aluminum housing



- 3x high power led count
- Purchase includes protective rubber pad
- 10" cable harness
- 40° optical light spread





A. Cannon Hide a way



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. H-2219	1" x 1" x 1.59"	10-18 V DC	1 A	R B A W

MOUNTING:

ADD-ONS:







CERTIFICATIONS:












DESCRIPTION:

The Cannon is the brightest, most versatile hide-a-way in the emergency market...and a Feniex best-seller. 12 individual LEDS are housed within this compact, weatherproof design. The Cannon features 3 modes and is offered in single and dual color options. Syncs with additional Cannons, Under Mirror Puck Light, Fusion Surface Mounts (v3), Fusion Dual Stack, Fusion Mirror Mount, Fusion Spoiler Mount, Fusion Pillar Mount, Fusion 1X and 2X, Fusion 100, Fusion 200, Fusion 400.

- 120° optic with option to convert to 360° optic
- 3 programmable modes
- Dual color availability
- 15 single color flash patterns
- 39 dual color flash patterns
- Available colors: R, A, B, W, RW, BW, AW, RB, RA, BA
- All-in-one design. No inline driver
- Functions as reverse light, turn light, tail light, fog light and/or warning light







- 12x led count
- Purchase includes Cannon, 2x screws and 1 gasket
- 10" cable harness



A. Shield Backup Alarm



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	SOUND OUTPUT
A. BA-0119	2.9" x 5" x 2.8"	12-14 V DC	1 A	97dB (+/- 10dB)

CERTIFICATIONS:











DESCRIPTION:

Sound the alarm with the Feniex Shield 14W, a dependable, affordable solution to protect any work site or construction zone. This 97dB (+/-10dB) back-up alarm/beeper is dust, moisture and vibration-proof.

- Max watt 14.4
- Temperature range: -40° 185°
- Dust, moisture and vibration-proof

- Built-in universal flush or hanging mount
- Purchase includes 1 backup alarm





Speaker



A. Triton Speaker



PART NUMBER	DIMENSIONS	POWER	SOUND DISP.	SOUND OUTPUT
A. S-2009	7" x 7" x 3"	100W	85°	124dB

CERTIFICATIONS:





DESCRIPTION:

Stand out with the Triton 100W: with a compact low-profile design and durable polycarbonate housing, its the ideal speaker for any police, fire or EMS vehicle. Uniquely engineered to achieve 85 degree sound dispersion, the Triton is a reliable choice for any first responder. Meets or exceeds SAE J1849 standards.

- Impedance of 11 ohms
- Neodymium magnet
- Universal compatibility





- Built-in I-shaped mounting bracket
- Purchase includes 1 Triton Speaker
- Compact, slim design to fit behind grille

Vanguard

Speaker

✓ **VANGUARD**SPEAKER

A. Vanguard Speaker



PART NUMBER	DIMENSIONS	POWER	SOUND DISP.	SOUND OUTPUT
A. S-1019	2.75" x 6.75" x 6.5"	100W	85°	127dB

MOUNTING:



CERTIFICATIONS:





DESCRIPTION:

The Vanguard Speaker is a compact low-profile design and durable metal housing, making it the ideal speaker for any police, fire or EMS vehicle. Uniquely engineered to fit anywhere on the vehicle, the Vanguard is capable of working with any existing siren package. Meets or exceeds SAE J1849 standards.

- 12 V DC input voltage
- 100% metal speaker
- Universal compatibility





- Includes I-shaped mounting bracket
- Purchase includes 1 Vanguard speaker
- Compact, slim design to fit behind grille

Speaker

▲ TITAN 30W SPEAKER

A. Titan 30W Speaker



PART NUMBER	DIMENSIONS	POWER	SIREN TONES	CURRENT DRAW	SOUND OUTPUT
A. S-5018	4.8" x 4.8" x 4.5"	30W	30	3 Amps	110dB

MOUNTING:



CERTIFICATIONS:





DESCRIPTION:

The Titan is the smallest and most compact siren/speaker available today. Ideal for any motorcycle, ATV, UTV or small vehicle, the Titan can function as a siren or speaker and is compatible with any switch panel or pre-installed switch configuration.

- Integrated all-in-one siren and speaker
- Easily mounts to any rail, bumper or headache rack
- Includes universal mounting bracket





Weatherproof Polycarbonate Plastic Base



Military-grade Aluminum

- Input voltage: 12V DC
- Purchase includes 1 Titan speaker
- Lightweight and ultra-compact design
- On/Off activation
- Hands-free activation
- 30 siren tones

Low Frequency Speaker

▲ HAMMER 100W SPEAKER

A. Titan 30W Low Frequency Speaker



PART NUMBER	DIMENSIONS	POWER	SIREN TONES	CURRENT DRAW	SOUND OUTPUT
A. S-3017	7.25" x 7.25" x 9.25"	100W	7	17 peak Amps	110dB

MOUNTING:

Universal L-bracket

Charger bracket

Interceptor sedan

Tahoe bracket

Interceptor utility











CERTIFICATIONS:





DESCRIPTION:

An instant game-changer: the Hammer is the only all-in-one, universal low-frequency siren. Our unique system combines a siren, amplifier and speaker within a single unit. Pair it with a Typhoon, Storm Pro or any other siren. Compact and easy to install, mount it to any emergency vehicle for 100 watts of ultra-clear, powerfully consistent sound waves. The Hammer is capable of penetrating solid objects and helping to clear intersections quickly and safely.

- Integrated all-in-one siren, amplifier and speaker
- Easily mounts to any rail, bumper or headache rack
- Includes universal mounting bracket





- Input voltage: 12V DC
- Current draw 17 peak amps
- 2 programmable modes
- Park kill capability
- Vehicle specific brackets
- 7+ integrated siren tones
- Frequency input: 732Hz 4KHz
- Frequency output: 183Hz 1KHz

Flashlight

▲ GUARDIAN FLASHLIGHT

A. Guardian Flashlight



PART NUMBER	DIMENSIONS	VOLTAGE	POWER	LED COLORS
A. FL-001	7.9" x 1.75" x 1.75"	12 V DC	<5W	W

INSTALLATION:



CERTIFICATIONS:









DESCRIPTION:

The Feniex Guardian Tactical Flashlight is a must have for any in need of a personal LED flashlight that is both long lasting and rechargeable. The Feniex Industries Guardian Flashlight lasts for nearly 6 hours on a full charge and has 5 modes that include 100%, 50%, 25%, Strobe and SOS. The handheld flashlight boasts a 1,200 Lumen rating and features adjustable optics to ensure pinpoint accuracy or a wide scene light application for spotting small objects in a wide area. The Guardian features a quick charging 2A USB Micro that ensures you always have ample power to lighten up any spot at any time of night.

- Telescopic lens for light adjustment
- 1x26650 lithium rechargeable battery
- 1200 lumens
- Up to 6 hour battery life
- Battery life led indicator
- Wrist strap provided
- 2A usb-micro charging cable
- 5 modes: 100%, 50%, 25%, strobe & SOS



Aluminum Alloy



Interior Light

▲ 8.5" DOMEINTERIOR LIGHT

A. 8.5" Dome Light



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. IL-0121	8.5" x 8.5" x 1.5"	10-18 V DC	1 Amp	W R

MOUNTING:



CERTIFICATIONS:



DESCRIPTION:

The Feniex Dome 8.5" Dome Light, the perfect choice for any interior emergency vehicle lighting. The Dome offers 4 modes: Night Time Red, 100% White, 75% White, and 50%. Safely light the interior of your vehicle even while in a tactical situation where limited light is required.

- 360° unobstructed lighting
- 3 light color modes
 - 50% white dim
 - 100% white
 - red light
- Front or rear mounting options available
- g options available Military-grade





- 10" cable harness
- Mounting hardware provided
- Unobtrusive design

Down Lux 9x7

Scene Lighting

▲ DOWN LUX 9X7 LIGHT

A. Down Lux 9x7



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. D-7900	7.75" x 10" x 1"	10-18 V DC	1 Amp	w

MOUNTING:





CERTIFICATIONS:













DESCRIPTION:

Choose the Down Lux™ Series for the industry's boldest, most intense scene lighting in an ultra-compact, slim design. The Down Lux features unique 50° optics with a downward projection, providing powerful visibility for any emergency scene. Available in white with a clear lens the Down Lux is the perfect led scene light for any firetruck, ambulance, or command vehicle in your fleet. The Down Lux meets or exceeds NFPA and KKK ambulance specifications.

- Available modes:
 - Flood mode
- Front or rear mounting options available
- Purchase includes 9x7 Down Lux, 4 # 6-32 x 3/16" screws, 2x back bracket mounts, 2x #10-24 x 1" bolts, 2x #6 x .5" screws, 2x hex nuts, 2x #10 flat washers
- 36x led count
- 180° light spread
- 9" cable harness
- Mounting hardware provided





Down Lux 6x4

Scene Lighting

▲ DOWN LUX 6X4 LIGHT

A. Down Lux 6x4



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. D-4600	4.75" x 7.05" x 1"	10-18 V DC	1 Amp	w

MOUNTING:





CERTIFICATIONS:













DESCRIPTION:

Choose the Down Lux™ Series for the industry's boldest, most intense scene lighting in an ultra-compact, slim design. The Down Lux features unique 50° optics with a downward projection, providing powerful visibility for any emergency scene. Available in white with a clear lens the Down Lux is the perfect led scene light for any firetruck, ambulance, or command vehicle in your fleet. The Down Lux meets or exceeds NFPA and KKK ambulance specifications.

- Available modes:
 - Flood mode
- Front or rear mounting options available
- Purchase includes 6x4 Down Lux, 4 # 6-32 x 3/16" screws, 2x back bracket mounts, 2x #10-24 x 1" bolts, 2x #6 x .5" screws, 2x hex nuts, 2x #10 flat washers
- 18x led count
- 180° light spread
- 9" cable harness
- Mounting hardware provided





sales@feniex.com

Scene Lighting

▲ DOWN LUX 7X3

LIGHT

A. Down Lux 7x3



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. D-3700	3.75" x 8" x 1"	10-18 V DC	1 Amp	W

MOUNTING:





CERTIFICATIONS:













DESCRIPTION:

Choose the Down Lux™ Series for the industry's boldest, most intense scene lighting in an ultra-compact, slim design. The Down Lux features unique 50° optics with a downward projection, providing powerful visibility for any emergency scene. Available in white with a clear lens the Down Lux is the perfect led scene light for any firetruck, ambulance, or command vehicle in your fleet. The Down Lux meets or exceeds NFPA and KKK ambulance specifications.

- Available modes:
 - Flood mode
- Front or rear mounting options available
- Purchase includes 6x4 Down Lux, 4 # 6-32 x 3/16" screws, 2x back bracket mounts, 2x #10-24 x 1" bolts, 2x #6 x .5" screws, 2x hex nuts, 2x #10 flat washers
- 12x led count
- 180° light spread
- 9" cable harness
- Mounting hardware provided





Lux Series Spot 9x7

▲ SPOT LUX 9X7 LIGHT

A. Spot Lux 9x7



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. A-7900	7.75" x 10" x 1"	10-18 V DC	1.5 Amps	R B A W

LENS OPTIONS:

MOUNTING:













CERTIFICATIONS:











DESCRIPTION:

Choose the Spot-Lux[™] 9x7 Series for the industry's boldest, most intense perimeter lighting in an ultra-compact, slim design. Ideal for fire and EMS vehicles. Our Lux[™] technology features spot optics, emitting powerful visibility from 40° viewing angles. Extremely functional and customizable, the Spot-Lux[™] can be used as a warning light or scene light with steady on capabilities at 50% brightness. Available in red, blue, amber or white with a clear lens.

- Available modes:
 - Dim Mode
- Front or rear mounting options available
- 36x led count
- 40° light spread
- 10" cable harness
- Mounting hardware provided
- 20+ flash patterns





Spot 6x4

▲ SPOT LUX 6X4 LIGHT

A. Spot Lux 6x4



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. A-4600	4.75" x 7.05" x 1"	10-18 V DC	1.25 Amps	R B A W

LENS OPTIONS:

MOUNTING:













CERTIFICATIONS:











DESCRIPTION:

Choose the Spot-Lux[™] 6x4 Series for the industry's boldest, most intense perimeter lighting in an ultra-compact, slim design. Ideal for fire and EMS vehicles. Our Lux[™] technology features spot optics, emitting powerful visibility from 40° viewing angles. Extremely functional and customizable, the Spot-Lux[™] can be used as a warning light or scene light with steady on capabilities at 50% brightness. Available in red, blue, amber or white with a clear lens.

- Available modes:
 - Dim Mode
- Front or rear mounting options available
- 18x led count
- 40° light spread
- 10" cable harness
- Mounting hardware provided
- 20+ flash patterns





Spot 7x3

▲ SPOT LUX 7X3 LIGHT

A. Spot Lux 7x3



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. A-3700	3.75" x 8" x 1"	10-18 V DC	1 Amp	R B A W

MOUNTING:















CERTIFICATIONS:











DESCRIPTION:

Choose the Spot-Lux[™] 7x3 Series for the industry's boldest, most intense perimeter lighting in an ultra-compact, slim design. Ideal for fire and EMS vehicles. Our Lux™ technology features spot optics, emitting powerful visibility from 40° viewing angles. Extremely functional and customizable, the Spot-Lux[™] can be used as a warning light or scene light with steady on capablitiles at 50% brightness. Available in red, blue, amber or white with a clear lens.

- Available modes:
 - Dim Mode
- Front or rear mounting options available
- 18x led count
- 40° light spread
- 10" cable harness
- Mounting hardware provided
- 20+ flash patterns





Feniex Industries, Inc. 1.800.615.8350

▲ BRAKE-TAIL-TURN LUX 9X7 LIGHT

A. Brake-Tail-Turn Lux 9x7



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. BTT-7900	7.75" x 10" x 1"	10-18 V DC	1.5 Amps	R

MOUNTING:





CERTIFICATIONS:











DESCRIPTION:

Our Brake-Tail-Turn Lux features a 180-degree optic with powerful, wide-spread visibility, providing maximum visibility in all lanes and intersections. Ideal for fire and EMS vehicles, the Stop-Turn-Tail Lux is designed to mount on the rear of the vehicle for stop, tail and turn signals. Available in a red-colored lens.

- Available modes:
 - Brake light mode
 - Tail light mode
 - Dim Mode
 - Turn light mode
- Front or rear mounting options available





Military-grade Aluminum



- 36x led count
- 180° light spread
- 10" cable harness
- Mounting hardware provided

■ BRAKE-TAIL- TURN LUX 6X4LIGHT

A. Brake-Tail-Turn Lux 6x4



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. BTT-4600	4.75" x 7.05" x 1"	10-18 V DC	1.25 Amps	R

MOUNTING:





CERTIFICATIONS:











DESCRIPTION:


Our Brake-Tail-Turn Lux features a 180-degree optic with powerful, wide-spread visibility, providing maximum visibility in all lanes and intersections. Ideal for fire and EMS vehicles, the Stop-Turn-Tail Lux is designed to mount on the rear of the vehicle for stop, tail and turn signals. Available in a red-colored lens.

- Available modes:
 - Brake light mode
 - Tail light mode
 - Dim Mode
 - Turn light mode
- Front or rear mounting options available





Military-grade Aluminum



- 18x led count
- 180° light spread
- 10" cable harness
- Mounting hardware provided



▲ BRAKE-TAIL-TURN LUX 7X3 LIGHT

A. Brake-Tail-Turn Lux 7x3



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. BTT-3700	3.75" x 8" x 1"	10-18 V DC	1 Amp	R

MOUNTING:





CERTIFICATIONS:











DESCRIPTION:

Our Brake-Tail-Turn Lux features a 180-degree optic with powerful, wide-spread visibility, providing maximum visibility in all lanes and intersections. Ideal for fire and EMS vehicles, the Stop-Turn-Tail Lux is designed to mount on the rear of the vehicle for stop, tail and turn signals. Available in a red-colored lens.

- Available modes:
 - Brake light mode
 - Tail light mode
 - Dim Mode
 - Turn light mode
- Front or rear mounting options available






- 18x led count
- 180° light spread
- 10" cable harness
- Mounting hardware provided

Tail-Turn Lux 9x7

▲ TAIL-TURN LUX 9X7

A. Tail-Turn Lux 9x7

LIGHT



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. TT-7900	7.75" x 10" x 1"	10-18 V DC	1.5 Amps	A

LENS OPTIONS:

MOUNTING:





CERTIFICATIONS:











DESCRIPTION:

The Feniex Turn-Tail Lux is designed to provide increased turn-signaling for fire, EMS and public work vehicles. Featuring a 180-degree optic and an optional amber-colored lens, the Turn-Tail Lux emits powerful, wide-spread signals with maximum visibility.

- Available modes:
 - Tail light mode
 - Dim Mode
 - Turn light mode
- Front or rear mounting options available
- 18x led count
- 180° light spread
- 10" cable harness
- Mounting hardware provided







▲ TAIL-TURN LUX 6X4 LIGHT

A. Tail-Turn Lux 6x4



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. TT-4600	4.75" x 7.05" x 1"	10-18 V DC	1.25 Amps	A

MOUNTING:





CERTIFICATIONS:











DESCRIPTION:

The Feniex Turn-Tail Lux is designed to provide increased turn-signaling for fire, EMS and public work vehicles. Featuring a 180-degree optic and an optional amber-colored lens, the Turn-Tail Lux emits powerful, wide-spread signals with maximum visibility.

- Available modes:
 - Tail light mode
 - Dim Mode
 - Turn light mode
- Front or rear mounting options available
- 18x led count
- 180° light spread
- 10" cable harness
- Mounting hardware provided





▲ TAIL-TURN LUX 7X3 LIGHT

A. Tail-Turn Lux 7x3



PART NUMBER	DIMENSIONS	VOLTAGE	CURRENT DRAW	LED COLORS
A. TT-3700	3.75" x 8" x 1"	10-18 V DC	1 Amp	A

MOUNTING:





CERTIFICATIONS:











DESCRIPTION:

The Feniex Turn-Tail Lux is designed to provide increased turn-signaling for fire, EMS and public work vehicles. Featuring a 180-degree optic and an optional amber-colored lens, the Turn-Tail Lux emits powerful, wide-spread signals with maximum visibility.

- Available modes:
 - Tail light mode
 - Dim Mode
 - Turn light mode
- Front or rear mounting options available
- 18x led count
- 180° light spread
- 10" cable harness
- Mounting hardware provided





Feniex Industries, Inc. 1.800.615.8350

▲ REMOTE SPOT LIGHT

A. Remote Spot Light



PART NUMBER	DIMENSIONS	VOLTAGE	POWER	LED COLORS
A. RS-0121	6.8" x 7.3" x 7.1"	10-30 V DC	60w	W

MOUNTING:





INCLUDED:



CERTIFICATIONS:







DESCRIPTION:

Bright and powerful! The Feniex Remote Spot Light LED features 60W Cree LEDs, strong enough for any time of day or weather condition. A rotatable wireless remote-controlled LED light capable of 180 degree rotation in both directions and 60 degrees up or down optic rotation. The purchase includes Remote Control with Flash and Speed options.

- 60° vertical tilt
- 360° horizontal rotation
- CREE LEDs
- Battery for remote controller not included. Requires A23 batteries.






- 6x led count
- Purchase includes Remote Spot Light controller and permanent mounting hardware
- Remote controller includes flash and speed options



A. 4X Flasher



PART NUMBER	DIMENSIONS	VOLTAGE	FLASH PATTERNS	MAX CURRENT OUTPUT
A. H-2220	4" x 2.6" x 1"	10-18 V DC	4 positive & 4 negative	5 Amps per channel

COMPATIBILITY:









CERTIFICATIONS:







DESCRIPTION:

The Feniex 4x Flasher is a versatile 4-channel LED flasher that offers 40 patterns in a compact footprint. Its solid-state design allows for compatibility with both positive and ground switched LED modules. Compatible with all emergency response vehicles, the Flasher's three modes make it flexible enough to function as both a warning and/or indication controller.

- Short circuit protection and over temperature protection
- Compatible with halogen and led lighting products
- Integrated steady-on brake-pop feature
- LED flash pattern indicator
- 3 programmable modes
- 4 outputs rated at 5 Amps each
- Syncs with other compatible flashers & lights





Military-grade Aluminum Base

Product Guide Feniex Catalog

FENIEX INDUSTRIES IS A USA MANUFACTURER OF VISUAL AND AUDIO EMERGENCY VEHICLE WARNING PRODUCTS.

LOCATED IN THE HEART OF TEXAS, FENIEX IS THE FASTEST GROWING EMERGENCY VEHICLE MANUFACTURER.



FENIEX CHANGES LIVES BY MANUFACTURING INNOVATIVE,

AMERICAN-MADE PRODUCTS FOR THE WORLD'S TOUGHEST

JOBS.

